



PROJECT MAPS



VICINITY MAP



SITE MAP

# CONSTRUCTION DRAWINGS FOR LIBERTY HIGH SCHOOL BASEBALL INFIELD & SOFTBALL OUTFIELD IMPROVEMENTS


850 2ND ST.

BRENTWOOD, CA 94513


LIBERTY UNION HIGH SCHOOL DISTRICT

VERDE DESIGN, INC. PROJECT NO. 2111100

PREPARED BY



LANDSCAPE ARCHITECTURE  
CIVIL ENGINEERING  
SPORT PLANNING & DESIGN  
2455 The Alameda  
Santa Clara, CA 95050  
tel: 408.985.7200  
fax: 408.985.7260  
www.VerdeDesign.com



CONTACT INFORMATION

ORGANIZATION	NAME	PHONE
OWNER LIBERTY UNION HIGH SCHOOL DISTRICT	PAUL MELLONI	(925) 634-3812
LANDSCAPE ARCHITECT VERDE DESIGN INC.	DEREK MCKEE JERRY JIANG NIRMALA NAVARRO	(408) 850-3410 (408) 850-3409 (408) 850-3474

SCOPE OF WORK

BASE BID

SCOPE OF WORK SHALL INCLUDE THE DEMOLITION OF EXISTING INFIELD FINES, NATURAL TURF, AND IRRIGATION. CONTRACTOR SHALL COMPLETE EARTHWORK AND GRADING OPERATIONS, THE INSTALLATION OF NEW CONCRETE WORK, DRAINAGE SYSTEM IMPROVEMENTS, FENCING, EDGEBANDS, ATHLETIC FURNISHINGS, SYNTHETIC TURF, INFIELD FINES, IRRIGATION, AND LANDSCAPING.

BID ALTERNATE

- BID ALTERNATE A - SYNTHETIC TURF MAINTENANCE CONTRACT, REFER TO SPECIFICATIONS.
- BID ALTERNATE B - TALL CURB AT SOFTBALL LEFT FIELD, REFER TO SPECIFICATIONS AND SHEET L1-9.1

GENERAL NOTES

- PRIOR TO BIDDING, THE GENERAL CONTRACTOR SHALL VISIT & INSPECT THE SITE & FAMILIARIZE THEMSELVES WITH EXISTING CONDITIONS AFFECTING THE NEW WORK. THE GENERAL CONTRACTOR SHALL NOT DISPUTE, COMPLAIN OR ASSERT THAT THERE IS ANY MISUNDERSTANDING IN REGARDS TO LOCATION, EXTENT, NATURE OR AMOUNT OF WORK TO BE PERFORMED UNDER THIS CONTRACT DUE TO THE CONTRACTOR'S FAILURE TO INSPECT THE SITE. CONTRACTOR SHALL NOTIFY THE OWNER OF ANY CONDITIONS, REQUIRING WORK, WHICH ARE NOT COVERED IN THE CONTRACT DOCUMENTS.
- NO CONSTRUCTION SHALL COMMENCE WITHOUT THE OFFICIAL NOTICE TO PROCEED FROM THE OWNER.
- THE GENERAL CONTRACTOR & SUBCONTRACTORS ARE RESPONSIBLE FOR LOCATING & VERIFYING ALL EXISTING UNDERGROUND UTILITIES IN ALL AREAS OF NEW WORK PRIOR TO COMMENCEMENT OF EXCAVATION. EXISTING UTILITIES SHOWN ON THE DRAWINGS ARE APPROXIMATE ROUTING LOCATIONS AS BEST DETERMINED FROM EXISTING DRAWINGS AND THE OWNER, BUT SHOULD NOT BE CONSTRUED TO REPRESENT ALL OF THE EXISTING UNDERGROUND UTILITIES. THE CONTRACTOR SHALL POTHOLE ALL EXISTING UTILITIES THAT MAY BE AFFECTED BY NEW FACILITIES IN THIS CONTRACT. VERIFY ACTUAL LOCATION AND DEPTH OF UTILITIES, AND REPORT POTENTIAL CONFLICTS TO THE OWNER PRIOR TO EXCAVATING FOR NEW FACILITIES.
- CONTRACTOR SHALL TAKE ALL NECESSARY STEPS TO PROTECT ALL EXISTING UTILITIES, WHETHER SHOWN OR NOT, IN THE CONTRACT DOCUMENTS. CONTRACTOR SHALL BE RESPONSIBLE FOR ALL DAMAGES TO EXISTING UTILITIES CAUSED BY ITS OPERATIONS.
- THE CONTRACTOR SHALL PROTECT ALL EXISTING ITEMS WITHIN SITE IMPROVEMENTS. IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO REPAIR ALL DAMAGED AREAS TO THEIR ORIGINAL CONDITION OR BETTER AT CONTRACTOR'S EXPENSE TO THE SATISFACTION OF THE OWNER.
- DIMENSIONS AND LOCATIONS OF EXISTING FACILITIES ARE APPROXIMATE AND SHALL BE FIELD VERIFIED BY CONTRACTOR. ANY DISCREPANCIES SHALL BE IMMEDIATELY BROUGHT TO THE ATTENTION OF THE OWNER.
- ALL WORK SHALL CONFORM TO THE LATEST EDITION OF THE CALIFORNIA BUILDING CODE, CALIFORNIA PLUMBING CODE, CALIFORNIA FIRE CODE AND ALL APPLICABLE STATE AND LOCAL CODES AND ORDINANCES, AS WELL AS ADAPTED STANDARDS.
- ALL NOTES ARE FOR GENERAL REFERENCE IN CONJUNCTION WITH, AND AS A SUPPLEMENT TO, THE WRITTEN SPECIFICATIONS AND DETAILS ASSOCIATED WITH THE CONTRACT DOCUMENTS.
- THIS DRAWING SET SHALL BE USED IN CONJUNCTION WITH THE CSI FORMAT SPECIFICATIONS PUBLISHED IN BOOK FORM. COMBINED, THEY ARE HEREBY REFERRED TO AS THE "CONTRACT DOCUMENTS".
- DIMENSIONS ON WORKING DRAWINGS TAKE PRECEDENCE OVER MEASURED ELEMENTS. CONTRACTOR SHALL NOT SCALE DRAWINGS.
- ALL TYPICAL DETAILS SHALL APPLY UNLESS NOTED OTHERWISE.
- CONTRACTOR SHALL PROVIDE ADEQUATE DUST CONTROL AND KEEP MUD AND DEBRIS OFF THE PUBLIC RIGHT-OF-WAY AT ALL TIMES.
- ALL TRENCHES AND EXCAVATIONS SHALL BE CONSTRUCTED IN STRICT COMPLIANCE WITH THE APPLICABLE SECTIONS OF CALIFORNIA AND FEDERAL O.S.H.A. REQUIREMENTS AND OTHER APPLICABLE SAFETY ORDINANCES. CONTRACTOR SHALL BEAR FULL RESPONSIBILITY FOR TRENCH SHORING DESIGN AND INSTALLATION.
- ANY ALTERATIONS OF EXISTING FACILITIES TO ACCOMMODATE THE INSTALLATION OF NEW WORK SHALL BE REVIEWED BY THE OWNER PRIOR TO COMMENCING WORK.
- CONTRACTOR SHALL COORDINATE ALL WORK TO AVOID DISTURBING STUDENTS OR TEACHERS DURING SCHOOL HOURS. ANY DISRUPTION OF THE UTILITIES MUST BE COORDINATED AND APPROVED BY THE OWNER AND INSPECTOR OF RECORD PRIOR TO COMMENCING WORK.
- ALL TEMPORARY WORK SHALL BE CONSIDERED A PART OF THIS CONTRACT AND NO EXTRA CHARGES WILL BE ALLOWED. THIS SHALL INCLUDE MINOR ITEMS OF MATERIAL OR EQUIPMENT NECESSARY TO MEET THE REQUIREMENTS AND INTENT OF THE PROJECT.
- THE PLANS AND SPECIFICATIONS DO NOT UNDERTAKE TO SHOW OR LIST EVERY ITEM TO BE PROVIDED, BUT RATHER TO DEFINE THE REQUIREMENTS FOR A FULL AND WORKING SYSTEM FROM THE STANDPOINT OF THE END USER. FOR THIS REASON, WHEN AN ITEM NOT SHOWN OR LISTED IS CLEARLY NECESSARY FOR PROPER CONTROL/OPERATION OF EQUIPMENT WHICH IS SHOWN OR LISTED, THE CONTRACTOR SHALL PROVIDE AN ITEM WHICH WILL ALLOW THE SYSTEM TO FUNCTION PROPERLY AT NO INCREASE IN PRICE.
- ALL CONTRACTORS SHALL REMOVE TRASH AND DEBRIS STEMMING FROM THEIR WORK ON A DAILY BASIS. PROJECT SITE SHALL BE MAINTAINED IN A CLEAN AND ORDERLY CONDITION.
- THE DETAILS REFLECT THE DESIGN INTENT FOR TYPICAL CONDITIONS. THE CONTRACTOR SHALL VERIFY ALL FIELD CONDITIONS AND SHALL INCLUDE, IN HIS SCOPE, THE COST FOR COMPLETE FINISHED INSTALLATIONS, INCLUDING ANOMALIES, OF ALL TRADES.
- NO WORK SHALL COMMENCE WITH UNAPPROVED MATERIALS. ANY WORK DONE WITH UNAPPROVED MATERIALS AND EQUIPMENT IS AT THE CONTRACTOR'S RISK AND IS SUBJECT TO REJECTION AND REPLACEMENT. SEE SPECIFICATIONS FOR SUBMITTAL AND SUBSTITUTION REQUIREMENTS.
- CONSTRUCTION MATERIALS STORED ON THE SITE SHALL BE PROPERLY STACKED AND PROTECTED SO AS TO PREVENT DAMAGE OR DETERIORATION UNTIL USED. FAILURE IN THIS REGARD MAY BE CAUSE FOR REJECTION OF MATERIAL AND/OR WORK.
- ALL EQUIPMENT SHALL BE FABRICATED FROM FIELD VERIFIED DIMENSIONS AND APPROVED SHOP DRAWINGS. COORDINATE MECHANICAL, PLUMBING AND ELECTRICAL EQUIPMENT.
- CONTRACTOR SHALL PERFORM THEIR CONSTRUCTION AND OPERATIONS IN A MANNER WHICH WILL NOT ALLOW HARMFUL POLLUTANTS TO ENTER THE STORM DRAIN SYSTEM. TO ENSURE COMPLIANCE, THE CONTRACTOR SHALL IMPLEMENT THE APPROPRIATE BEST MANAGEMENT PRACTICE (BMP) AS OUTLINED IN THE BROCHURES ENTITLED "BEST MANAGEMENT PRACTICE FOR THE CONSTRUCTION INDUSTRY" ISSUED BY THE CALIFORNIA STORM WATER QUALITY ASSOCIATION, NONPOINT SOURCE POLLUTION CONTROL PROGRAM, TO SUIT THE CONSTRUCTION SITE AND JOB CONDITION. THE CONTRACTOR SHALL PRESENT THEIR PROPOSED BMP AT THE PRECONSTRUCTION MEETING FOR DISCUSSION AND APPROVAL.
- CONTRACTOR SHALL PROVIDE TEMPORARY CONSTRUCTION FENCING PER CONTRACT DOCUMENTS TO SERVE LIMIT OF WORK AREAS. FENCING MAY BE ADJUSTED DURING CONSTRUCTION BASED ON CONSTRUCTION SEQUENCE OR THE OWNER'S DIRECTION.
- OVERNIGHT PARKING OF CONSTRUCTION EQUIPMENT IN THE STREET RIGHT-OF-WAY SHALL NOT BE PERMITTED.

APPLICABLE CODES

- 2019 CBC CHAPTER 35; PROVIDE ALL THE APPLICABLE/ADOPTED STANDARDS. WHERE A PARTICULAR STANDARD IS REFERENCED IN THE CODE BUT DOES NOT APPEAR AS AN ADOPTED STANDARD IT MAY STILL BE USED. APPLY ONLY THE PORTION OF THE STANDARD THAT IS APPLICABLE TO THE CODE SECTION WHERE THE STANDARD IS REFERENCED, NOT THE ENTIRE STANDARD.

- 2019 CALIFORNIA BUILDING STANDARDS ADMINISTRATIVE CODE, PART 1, TITLE 24 C.C.R.
- 2019 CALIFORNIA BUILDING CODE (CBC), PART 2, TITLE 24 C.C.R.
- (2018 INTERNATIONAL BUILDING CODE VOLUMES 1-2)
- 2019 CALIFORNIA ELECTRICAL CODE (CEC), PART 3, TITLE 24 C.C.R.
- (2017 NATIONAL ELECTRICAL CODE)
- 2019 CALIFORNIA MECHANICAL CODE (CMC) PART 4, TITLE 24 C.C.R.
- (2018 UNIFORM MECHANICAL CODE)
- 2019 CALIFORNIA PLUMBING CODE (CPC), PART 5, TITLE 24 C.C.R.
- (2018 UNIFORM PLUMBING CODE)
- 2019 CALIFORNIA ENERGY CODE, PART 6, TITLE 24 C.C.R.
- 2019 CALIFORNIA FIRE CODE, PART 9, TITLE 24 C.C.R.
- (2018 INTERNATIONAL FIRE CODE AND 2016 CALIFORNIA AMENDMENTS)
- 2019 CALIFORNIA EXISTING BUILDING CODE, PART 10, TITLE 24 C.C.R.
- (2018 INTERNATIONAL EXISTING BUILDING CODE)
- 2019 CALIFORNIA "GREEN" BUILDING REQUIREMENTS OR CAL GREEN, PART 11, TITLE 24 C.C.R.
- 2019 CALIFORNIA REFERENCED STANDARDS, PART 12, TITLE 24 C.C.R.
- 2019 TITLE 19 C.C.R., PUBLIC SAFETY, STATE FIRE MARSHAL REGULATIONS.

- LIST OF FEDERAL CODES AND STANDARDS (IF APPLICABLE)
- AMERICANS WITH DISABILITIES ACT (ADA), TITLE II OR TITLE III
  - FOR TITLE II: UNIFORM FEDERAL ACCESSIBILITY STANDARDS (UFAS) 28 CFR 35.151(C)
  - OR ADA STANDARDS FOR ACCESSIBLE DESIGN (APPENDIX A OF 28 CFR PART 35)
  - FOR TITLE III: ADA STANDARDS FOR ACCESSIBLE DESIGN (APPENDIX A OF 28 CFR PART 36)
  - 2010 AMERICANS WITH DISABILITIES ACT (ADA) STANDARDS FOR ACCESSIBLE DESIGN 28 CFR 36.406

NOTE: TITLE II APPLIES TO PROJECTS FUNDED AND/OR USED BY STATE AND LOCAL GOVERNMENT SERVICES. TITLE III COVERS PUBLIC ACCOMMODATIONS AND COMMERCIAL FACILITIES. DEPENDING ON THE USE AND FUNDING, BOTH TITLE MAY APPLY TO THE PROJECT.

- NFPA 13 AUTOMATIC SPRINKLER SYSTEMS 2019 EDITION
- NFPA 14 STANDPIPE SYSTEMS 2019 EDITION
- NFPA 17 DRY CHEMICAL EXTINGUISHING SYSTEMS 2017 EDITION
- NFPA 17A WET CHEMICAL EXTINGUISHING SYSTEMS 2017 EDITION
- NFPA 20 STATIONARY FIRE PUMPS 2019 EDITION
- NFPA 24 PRIVATE FIRE SERVICE MAINS 2019 EDITION
- NFPA 72 NATIONAL FIRE ALARM AND SIGNALING CODE (CALIFORNIA AMENDED) (NOTE SEE UL STANDARD 1971 FOR "VISUAL DEVICES") 2019 EDITION
- NFPA 253 CRITICAL RADIANT FLUX OF FLOOR COVERING SYSTEMS 2019 EDITION
- NFPA 2001 ALCENT AGENT FIRE EXTINGUISHING SYSTEMS 2018 EDITION
- ASME 17.1 ELEVATOR STANDARD 2016 EDITION

REFERENCE CODE SECTIONS FOR APPLICABLE STANDARDS - 2019 CALIFORNIA BUILDING CODE (FOR SFM) REFERENCED STANDARDS CHAPTER 35

ADA STANDARD FOR ACCESSIBLE DESIGN (APPENDIX A OF 28 CFR PART 36)

- THE INTENT OF THESE DRAWINGS AND SPECIFICATIONS IS THAT WORK OF THE ALTERATION, REHABILITATION OR RECONSTRUCTION IS TO BE IN ACCORDANCE WITH TITLE 24, CALIFORNIA CODE OF REGULATIONS. SHOULD ANY EXISTING CONDITIONS SUCH AS DETERIORATION OR NON-COMPLYING CONSTRUCTION BE DISCOVERED WHICH IS NOT COVERED BY THE CONTRACT DOCUMENTS WHEREIN THE FINISHED WORK WILL NOT COMPLY WITH TITLE 24, CALIFORNIA CODE OF REGULATIONS, A CHANGE ORDER, OR A SEPARATE SET OF PLANS AND SPECIFICATIONS, DETAILING AND SPECIFYING THE REQUIRED WORK SHALL BE SUBMITTED TO AND APPROVED BY THE OWNER REPRESENTATIVE BEFORE PROCEEDING WITH THE WORK.

- ALL EXISTING FIRE EXTINGUISHING SYSTEMS ARE IN COMPLIANCE WITH UL 300, CBC 904.11, CFC 904.11.

SHEET INDEX (28 Sheets)

SHEET NO.	SHEET DESCRIPTION
C0.0	COVER SHEET
L-0.1	OVERALL SITE PLAN
L-0.2	PROJECT SITE ACCESSIBILITY PLAN
L-0.3	EXISTING SITE CONDITIONS REVIEW
L-0.4	EXISTING SITE CONDITIONS REVIEW
L-1.1	EROSION AND SEDIMENT CONTROL PLAN - BASEBALL FIELD
L-1.2	EROSION AND SEDIMENT CONTROL PLAN - SOFTBALL FIELD
L-1.3	DEMOLITION PLAN - BASEBALL FIELD
L-1.3.2	DEMOLITION PLAN - SOFTBALL FIELD
L-1.3.3	IRRIGATION DEMOLITION PLAN - BASEBALL FIELD
L-1.3.4	IRRIGATION DEMOLITION PLAN - SOFTBALL FIELD
L-1.4.1	GRADING PLAN - BASEBALL FIELD
L-1.4.2	GRADING PLAN - SOFTBALL FIELD
L-1.5.1	DRAINAGE AND UTILITY PLAN - BASEBALL FIELD
L-1.5.2	DRAINAGE AND UTILITY PLAN - SOFTBALL FIELD
L-1.6.1	LAYOUT PLAN - BASEBALL FIELD
L-1.6.2	LAYOUT PLAN - SOFTBALL FIELD
L-1.7.1	MATERIAL AND DETAIL REFERENCE PLAN - BASEBALL FIELD
L-1.7.2	MATERIAL AND DETAIL REFERENCE PLAN - SOFTBALL FIELD
L-1.8.1	IRRIGATION PLAN - BASEBALL FIELD
L-1.9.1	BID ALTERNATE PLAN - SOFTBALL FIELD
D-1.1	DRAINAGE AND UTILITY DETAILS
D-2.1	CONSTRUCTION DETAILS
D-3.1	ATHLETIC DETAILS
D-3.2	ATHLETIC DETAILS
D-4.1	IRRIGATION DETAILS

C0.0

COVER SHEET

ALL IDEAS, DESIGNS, ARRANGEMENTS, AND PLANS INDICATED OR REPRESENTED BY THIS DRAWING ARE OWNED BY AND THE PROPERTY OF VERDE DESIGN, INC. AND WERE CREATED, EVALUATED, AND DESCRIBED FOR USE ON AND IN CONNECTION WITH THE SPECIFIC PROJECT. NONE OF SUCH IDEAS, DESIGNS, ARRANGEMENTS, OR PLANS SHALL BE USED, REPRODUCED, OR PUBLISHED BY ANY METHOD, IN WHOLE OR IN PART, OR IN CONNECTION WITH ANY PROJECT, WITHOUT THE WRITTEN PERMISSION OF VERDE DESIGN, INC.

LIBERTY HIGH SCHOOL - BASEBALL INFIELD & SOFTBALL OUTFIELD IMPROVEMENTS

BID SUBMITTAL - 05/02/2022

ALL IDEAS, DESIGNS, ARRANGEMENTS, AND PLANS INDICATED OR REPRESENTED BY THIS DRAWING ARE OWNED BY AND THE PROPERTY OF VERDE DESIGN, INC. AND WERE CREATED, EVOLVED, AND DEVELOPED FOR USE ON AND IN CONNECTION WITH THE SPECIFIED PROJECT. NONE OF SUCH IDEAS, DESIGNS, ARRANGEMENTS OR PLANS SHALL BE USED, REPRODUCED, OR PUBLISHED BY ANY METHOD, IN WHOLE OR IN PART, OR DISCLOSED TO ANY PERSON, FIRM, OR CORPORATION FOR ANY PURPOSE, WHATSOEVER, WITHOUT WRITTEN PERMISSION OF VERDE DESIGN, INC.


### ACCESSIBILITY PLAN NOTES

- ACCESSIBLE PATH OF TRAVEL AS INDICATED ON PLAN IS A BARRIER FREE ACCESS ROUTE WITHOUT ANY ABRUPT LEVEL CHANGES EXCEEDING 1/8" BEVELED AT 1:2 MAX. SLOPE, OR VERTICAL LEVEL CHANGES EXCEEDING 1/4" MAX. AND A LEAST 48" WIDE. SURFACE IS SLIP RESISTANT, STABLE, FIRM, AND SMOOTH. CROSS SLOPE DOES NOT EXCEED 2% AND SLOPE IN THE DIRECTION OF TRAVEL IS LESS THAN 5% UNLESS OTHERWISE INDICATED.
- ACCESSIBLE PATH OF TRAVEL SHALL BE MAINTAINED FREE OF OVERHANGING OBSTRUCTIONS TO 80" MINIMUM AND PROTRUDING OBJECTS GREATER THAN 4" PROJECTION FROM WALL AND ABOVE 27" AND LESS THAN 80". ARCHITECT SHALL VERIFY THAT THERE ARE NO BARRIERS IN THE PATH OF TRAVEL.
- ACCESSIBLE PARKING SIGNAGE REQUIREMENTS: THE AMENDED REGULATIONS INDICATE THAT THE SIGNAGE AT ACCESSIBLE PARKING SPACES SHALL INCLUDE "MINIMUM FINE \$250" BELOW THE INTERNATIONAL SYMBOL OF ACCESSIBILITY AS EITHER AN ADDITIONAL SIGN OR ADDITIONAL LANGUAGE. THIS FINE POSTING REQUIREMENT IS IN ADDITION TO OTHER SIGNAGE REGULATIONS CONTAINED IN THE CALIFORNIA BUILDING CODE FOR ACCESSIBLE PARKING SPACES.
- STRIPING REQUIREMENTS: THE REVISED REGULATIONS INDICATE THAT THE ACCESSIBLE PARKING SPACE STRIPING SHALL BE AS FOLLOWS. THE BORDER (PERIMETER) SHALL BE PAINTED BLUE. THE HATCHING WITHIN THE LOADING AND UNLOADING ACCESS AISLE SHALL BE PAINTED A SUITABLE CONTRASTING COLOR TO THE PARKING SPACE AT 3'-0" MAXIMUM ON CENTER. BLUE OR WHITE PAINT IS PREFERRED.
- DESIGN PROFESSIONAL IN GENERAL RESPONSIBLE CHARGE STATEMENT: THE POT IDENTIFIED IN THESE CONSTRUCTION DOCUMENTS MEETS THE REQUIREMENTS OF THE CURRENT APPLICABLE CALIFORNIA BUILDING CODE (CBC) ACCESSIBILITY PROVISIONS FOR PATH OF TRAVEL REQUIREMENTS FOR ALTERNATIONS, ADDITIONS AND STRUCTURAL REPAIRS. AS PART OF THE DESIGN OF THIS PROJECT, THE POT WAS EXAMINED AND ANY ELEMENTS, COMPONENTS OR PORTIONS OF THE POT THAT WERE DETERMINED TO BE NON COMPLIANT WITH THE CBC HAVE BEEN IDENTIFIED AND THE CORRECTIVE WORK NECESSARY TO BRING THEM INTO COMPLIANCE HAS BEEN INCLUDED WITHIN THE SCOPE OF THIS PROJECTS. WORK THROUGH DETAILS, DRAWINGS AND SPECIFICATION INCORPORATED INTO THESE CONSTRUCTION DOCUMENTS. ANY NONCOMPLIANT ELEMENTS, COMPONENTS OR PORTIONS OF THE POT THAT WILL NOT BE CORRECTED BY THIS PROJECT BASED ON VALUATION THRESHOLD LIMITATIONS OR A FINDING OF UNREASONABLE HARDSHIP ARE INDICATED IN THESE CONSTRUCTION DOCUMENTS.
- DURING CONSTRUCTION, IF POT ITEMS WITHIN THE SCOPE OF THE PROJECT REPRESENTED AS CBC COMPLIANT ARE FOUND TO BE NONCOMPLYING BEYOND REASONABLE CONSTRUCTION TOLERANCES, THE ITEMS SHALL BE BROUGHT INTO COMPLIANCE WITH THE CBC AS A PART OF THIS PROJECT BY MEANS OF A CONSTRUCTION CHANGE DOCUMENT.



**VERDE DESIGN**  
LANDSCAPE ARCHITECTURE  
CIVIL ENGINEERING  
SPORT PLANNING & DESIGN

2455 The Alameda  
Santa Clara, CA 95050  
tel: 408.985.7200  
fax: 408.985.7260  
www.VerdeDesign.com



STAMP  
CONSULTANT

SHEET TITLE

### OVERALL SITE PLAN

PROJECT NAME

**LIBERTY HIGH SCHOOL  
BASEBALL INFIELD &  
SOFTBALL OUTFIELD  
IMPROVEMENTS**

PROJECT ADDRESS

**850 2ND ST  
BRENTWOOD, CA  
94513**

SUBMITTAL

DATE

BID SUBMITTAL

05/02/22

NO.

REVISIONS

DATE

DRAWN BY

CHECKED BY

DATE ISSUED

SCALE


PROJ. NO.

2111100

SHEET NO.

**L-L0.1**

### OVERALL SITE PLAN




SYM	DESCRIPTION	DTL REF
---	EXISTING ACCESSIBLE PATH OF TRAVEL - MAX. CROSS SLOPE 2%	
---	LIMIT OF WORK	
---	PROPERTY LINE	
B, G, S	EXISTING RESTROOM - G:GIRLS; B:BOYS; S:STAFF	
T	EXISTING TOW AWAY SIGN	
D1	EXISTING DRINKING FOUNTAIN - SOFTBALL FIELD	F F.10.4
D2	EXISTING DRINKING FOUNTAIN - BUILDING A	G F.10.4
G1	EXISTING 8'HX15' - SCHOOL/EVENT DOUBLE GATE GATE TO REMAIN OPEN DURING SCHOOL/EVENT HOURS	C F.10.4
G2	EXISTING 8'HX4' PEDESTRIAN GATE CHAIN LINK GATE WITH GATE LATCH	B F.10.4

CAMPUS LEGEND		CAMPUS LEGEND			
#	BLDG DESCRIPTION	APP. NO.	#	BLDG DESCRIPTION	APP. NO.
1	GYMNASIUM	30513	21	BUS GARAGE	NR8D
2A	LANGUAGE & SOCIAL SCIENCE BLDGS	25083	22D	P4 - CHAPTER 1	48291
2B	LANGUAGE & SOCIAL SCIENCE BLDGS	25083	22F	P6 - DRIVER TRAINING & SIMULATOR	48291
2C	LANGUAGE & SOCIAL SCIENCE BLDGS	25083	22T	P18 - DRAFTING	47440
3A	LIBRARY	25083	23A	MAINTENANCE BUILDING	UNKNOWN
3B	LIBRARY ADDITION	53065	23B	MAINTENANCE BUILDING	NR8D
4	STORAGE	NR8D	23C	MAINTENANCE BUILDING	NR8D
5	BUILDING REMOVED	-	23D	MAINTENANCE BUILDING	NR8D
6	CLASSROOM BUILDING	22109 & 53065	24	SCIENCE BUILDING	46950
7	CLASSROOM BUILDING	11286 & 53065	25	CLASSROOM BUILDING	48347
8	CLASSROOM BUILDING	8915	26	COUNTY SPECIAL ED. FACILITY	48347
9	ADMINISTRATION	2929 & 8915	27	NOT USED	-
10	STUDENT ACTIVITY CENTER & CAFETERIA	25083	28A	MATH & SCIENCE CLASSROOMS	53065
11	APT WING & COMPUTER WING	25083 & 54083	28B	MATH & SCIENCE CLASSROOMS	53065
12	NOT USED	-	29	PERFORMING ARTS BUILDING	54083
13	WOOD SHOP	14565	30A	R7 CLASSROOMS	59655
14	METAL SHOP	7354	30B	R10 CLASSROOMS	59655
15	AUTO SHOP	3518 & 25083	30C	R11 CLASSROOMS	59655
16	SWIMMING POOL BUILDING	7894 & 01-117802	30D	R12 CLASSROOMS	59655
17	AGRICULTURAL BUILDINGS	NR8D	30E	R8 CLASSROOMS	59655
18A	T1 BIOLOGICAL, PHYSIOLOGY	46363	30F	R13 CLASSROOMS	59655
18B	T2 CLOTHING LABORATORY	46363	30G	R14 CLASSROOMS	59655
18C	T3 COMPUTER LABORATORY	46363	30H	R15 CLASSROOMS	59655
18D	T4 PHYSICAL / EARTH SCIENCE LAB	46363	31A	R9 TOILETS	61129
18E	T5 CHEMISTRY LABORATORY	46363	31B	R19 CLASSROOMS	61129
18F	T6 BIOLOGY	46363	31C	R18 CLASSROOMS	61129
18G	BUILDING REMOVED	-	31D	R17 CLASSROOMS	61129
18H	T7 CLASSROOM	46363	31E	R16 CLASSROOMS	61129
18J	T8 CLASSROOM	47440	32	JOINT USE GYMNASIUM	01-102471
18K	BUILDING REMOVED	-	33A	RELOCATABLE CLASSROOMS	01-105228
19A	CC7 SPECIAL EDUCATION	47440	33B	RELOCATABLE CLASSROOMS	01-105228
19B	CC8 SPECIAL EDUCATION	47440	33C	RELOCATABLE CLASSROOMS	01-105228
19C	CC9 SPECIAL EDUCATION	47440	33D	RELOCATABLE CLASSROOMS	01-105228
19D	CC10 SPECIAL EDUCATION	47440	33E	RELOCATABLE CLASSROOMS	01-105228
19E	CC11 SPECIAL EDUCATION	47440	33F	RELOCATABLE CLASSROOMS	01-105228
19F	CC12 SPECIAL EDUCATION	47440	34	UNITY PLAZA	01-106022
19G	CC13 SPECIAL EDUCATION	47440	35A	SCIENCE CLASSROOMS	01-107504
19H	BUILDING REMOVED	-	35B	CLASSROOMS	01-107504
19J	NEW RELOCATABLE CLASSROOM	01-105226	35C	CLASSROOMS	01-107504
19K	NEW RELOCATABLE CLASSROOM	01-105226	35D	CLASSROOMS	01-107504
19L	NEW RELOCATABLE CLASSROOM	01-105226	13	CLASSROOMS	01-114250
20A	TOILETS & STORAGE	NR8D	14	CLASSROOMS	01-114250
20B	REFRESHMENT STAND	NR8D	15	CLASSROOMS	01-114250
20C	REMOVED	-			
20D	REFRESHMENT STAND	NR8D			

	PARKING COUNT				
	OVERALL	ACC STALL	ACC VAN STALL	REQUIRED STD	REQUIRED VAN
(E) PARKING LOT A VISITOR & STAFF DSA 01-119033	58	2	1	2	1
(E) PARKING LOT B STUDENT DSA 01-119543	103	2	3	4	1
(E) PARKING LOT C STUDENT DSA 01-117742	264	8	8	5	2
(E) PARKING LOT D STUDENT DSA 01-117802	44	1	1	1	1

CBC 2019 TABLE 11B-208.2: 26-50 TOTAL SPACES = 2 REQ'D ACC SPACES  
 CBC 2019 SECTION 11B-208.2.4: FOR EVERY 6 OR FRACTION OF 6 ACC PARKING SPACES REQUIRED, AT LEAST 1 SHALL BE A VAN ACCESSIBLE PARKING SPACE.





ALL IDEAS, DESIGNS, ARRANGEMENTS, AND PLANS INDICATED OR REPRESENTED BY THIS DRAWING ARE OWNED BY AND THE PROPERTY OF VERDE DESIGN, INC. AND WERE CREATED, EVOLVED, AND DEVELOPED FOR USE ON AND IN CONNECTION WITH THE SPECIFIED PROJECT. NONE OF SUCH IDEAS, DESIGNS, ARRANGEMENTS OR PLANS SHALL BE USED, REPRODUCED, OR PUBLISHED IN WHOLE OR IN PART, OR DISCLOSED TO ANY PERSON, FIRM, OR CORPORATION FOR ANY PURPOSE, WHATSOEVER, WITHOUT WRITTEN PERMISSION OF VERDE DESIGN, INC.

### KEYNOTES


SYM	DESCRIPTION	DTL REF
---	EXISTING ACCESSIBLE PATH OF TRAVEL - MAX. CROSS SLOPE 2%	
- - -	LIMIT OF WORK	
---	PROPERTY LINE	
Ⓜ Ⓞ Ⓢ	EXISTING RESTROOM - G-GIRLS; B-BOYS; S-STAFF	
Ⓣ	EXISTING TOW AWAY SIGN	
Ⓞ	EXISTING DRINKING FOUNTAIN	F F-10.4
Ⓜ	EXISTING 8'Hx4' PEDESTRIAN GATE - ORNAMENTAL GATE WITH PANIC HARDWARE	G G-10.4
Ⓜ	EXISTING 8'Hx28' - SCHOOL/EVENT DOUBLE GATE GATE TO REMAIN OPEN DURING SCHOOL/EVENT HOURS	C C-10.4
Ⓜ	EXISTING 8'Hx4' PEDESTRIAN GATE CHAIN LINK GATE WITH GATE LATCH	B B-10.4

### ACCESSIBILITY PLAN NOTES


- ACCESSIBLE PATH OF TRAVEL AS INDICATED ON PLAN IS A BARRIER FREE ACCESS ROUTE WITHOUT ANY ABRUPT LEVEL CHANGES EXCEEDING 1/2" BEVELED AT 1:2 MAX. SLOPE, OR VERTICAL LEVEL CHANGES EXCEEDING 1/4" MAX. AND A LEAST 48" WIDE. SURFACE IS SLIP RESISTANT, STABLE, FIRM, AND SMOOTH. CROSS SLOPE DOES NOT EXCEED 2% AND SLOPE IN THE DIRECTION OF TRAVEL IS LESS THAN 5% UNLESS OTHERWISE INDICATED.
- ACCESSIBLE PATH OF TRAVEL SHALL BE MAINTAINED FREE OF OVERHANGING OBSTRUCTIONS TO 80" MINIMUM AND PROTRUDING OBJECTS GREATER THAN 4" PROJECTION FROM WALL AND ABOVE 27" AND LESS THAN 80". ARCHITECT SHALL VERIFY THAT THERE ARE NO BARRIERS IN THE PATH OF TRAVEL.
- ACCESSIBLE PARKING  
SIGNAGE REQUIREMENTS: THE AMENDED REGULATIONS INDICATE THAT THE SIGNAGE AT ACCESSIBLE PARKING SPACES SHALL INCLUDE "MINIMUM FINE \$250" BELOW THE INTERNATIONAL SYMBOL OF ACCESSIBILITY AS EITHER AN ADDITIONAL SIGN OR ADDITIONAL LANGUAGE. THIS FINE POSTING REQUIREMENT IS IN ADDITION TO OTHER SIGNAGE REGULATIONS CONTAINED IN THE CALIFORNIA BUILDING CODE FOR ACCESSIBLE PARKING SPACES.
- STRIPING REQUIREMENTS:  
THE REVISED REGULATIONS INDICATE THAT THE ACCESSIBLE PARKING SPACE STRIPING SHALL BE AS FOLLOWS. THE BORDER (PERIMETER) SHALL BE PAINTED BLUE. THE HATCHING WITHIN THE LOADING AND UNLOADING ACCESS AISLE SHALL BE PAINTED A SUITABLE CONTRASTING COLOR TO THE PARKING SPACE AT 3'-0" MAXIMUM ON CENTER. BLUE OR WHITE PAINT IS PREFERRED.
- DESIGN PROFESSIONAL IN GENERAL RESPONSIBLE CHARGE STATEMENT  
THE POT IDENTIFIED IN THESE CONSTRUCTION DOCUMENTS MEETS THE REQUIREMENTS OF THE CURRENT APPLICABLE CALIFORNIA BUILDING CODE (CBC) ACCESSIBILITY PROVISIONS FOR PATH OF TRAVEL REQUIREMENTS FOR ALTERNATIONS, ADDITIONS AND STRUCTURAL REPAIRS. AS PART OF THIS PROJECT, THE POT WAS EXAMINED AND ANY ELEMENTS, COMPONENTS OR PORTIONS OF THE POT THAT WERE DETERMINED TO BE NON COMPLIANT WITH THE CBC HAVE BEEN IDENTIFIED AND THE CORRECTIVE WORK NECESSARY TO BRING THEM INTO COMPLIANCE HAS BEEN INCLUDED WITHIN THE SCOPE OF THIS PROJECTS, WORK THROUGH DETAILS, DRAWINGS AND SPECIFICATION INCORPORATED INTO THESE CONSTRUCTION DOCUMENTS. ANY NONCOMPLIANT ELEMENTS, COMPONENTS OR PORTIONS OF THE POT THAT WILL NOT BE CORRECTED BY THIS PROJECT BASED ON VALUATION THRESHOLD LIMITATIONS OR A FINDING OF UNREASONABLE HARDSHIP ARE INDICATED IN THESE CONSTRUCTION DOCUMENTS.
- DURING CONSTRUCTION, IF POT ITEMS WITHIN THE SCOPE OF THE PROJECT REPRESENTED AS CBC COMPLIANT ARE FOUND TO BE NONCONFORMING BEYOND REASONABLE CONSTRUCTION TOLERANCES, THE ITEMS SHALL BE BROUGHT INTO COMPLIANCE WITH THE CBC AS A PART OF THIS PROJECT BY MEANS OF A CONSTRUCTION CHANGE DOCUMENT."



**A** SOFTBALL FIELD 1"=30'



**B** BASEBALL FIELD 1"=30'



STAMP

CONSULTANT

SHEET TITLE  
**PROJECT SITE ACCESSIBILITY PLAN**

PROJECT NAME  
**LIBERTY HIGH SCHOOL BASEBALL INFIELD & SOFTBALL OUTFIELD IMPROVEMENTS**

PROJECT ADDRESS  
**850 2ND ST BRENTWOOD, CA 94513**

SUBMITTAL	DATE
BID SUBMITTAL	05/02/22

NO.	REVISIONS	DATE

DRAWN BY <b>NN/JJ</b>	CHECKED BY <b>DM</b>
DATE ISSUED <b>04/01/2022</b>	SCALE <b>1"=20'-0"</b>
PROJ. NO. <b>2111100</b>	
SHEET NO. <b>L-L0.2</b>	



ALL IDEAS, DESIGNS, ARRANGEMENTS, AND PLANS INDICATED OR REPRESENTED BY THIS DRAWING ARE OWNED BY AND THE PROPERTY OF VERDE DESIGN, INC. AND WERE CREATED, EVOLVED, AND DEVELOPED FOR USE ON AND IN CONNECTION WITH THE SPECIFIED PROJECT. NONE OF SUCH IDEAS, DESIGNS, ARRANGEMENTS OR PLANS SHALL BE USED, REPRODUCED, OR PUBLISHED BY ANY METHOD, IN WHOLE OR IN PART, OR DISCLOSED TO ANY PERSON, FIRM, OR CORPORATION FOR ANY PURPOSE, WHATSOEVER, WITHOUT WRITTEN PERMISSION OF VERDE DESIGN, INC.

**H**

**D**

**G**

**F**

**E**

**D**

12x12x12 TRIANGLE  
MEN'S RESTROOM  
SYMBOL SIGNMAGE  
1/4" THICK

12 IN DIA. CIRCLE  
WOMEN'S RESTROOM  
SYMBOL SIGNMAGE  
1/4" THICK

12" DIAMETER

FIN. FLR.

STIGNS SHALL CONSIST OF WHITE  
FIGURE ON BLUE BACKGROUND. THE  
BLUE BACKGROUND SHALL BE EQUAL  
TO COLOR NO. 15090 IN FED.  
SPEC. S998

**D**

EXISTING RESTROOM DOOR SINAGE

NTS

RESTROOM FLOOR PLAN PER  
DSA APPL NO. 01-117742

**C**

EXISTING BUILDING B - STALL RESTROOM

NTS

**B**

FIXTURE MOUNTING HEIGHTS

RESTROOM FLOOR PLAN PER  
DSA APPL NO. 01-117742

EXISTING STUDENT BOYS' RESTROOM

EXISTING STUDENT GIRLS' RESTROOM

TOILET - GRAB BARS - DISPENSER  
11B-604 AND 11B-609

LAVATORY - MIRROR  
11B-603.3, 11B-606.3, 11B-306, 11B-309

URINALS  
11B-605.2

SOAP DISPENSER  
11B-606.1

PAPER TOWEL  
WASTE RECEPTACLE  
11B-606.1

ELECTRIC HAND  
DRYER  
11B-606.1

SEAT COVER  
DISPENSER  
11B-606.1

SANITARY  
DISPENSER  
11B-606.1

RESTROOM FLOOR PLAN PER  
DSA APPL NO. 01-117742

EXISTING STUDENT BOYS' RESTROOM

EXISTING STUDENT GIRLS' RESTROOM

RESTROOM FLOOR PLAN PER  
DSA APPL NO. 01-117742

EXISTING BUILDING B - STALL RESTROOM

RESTROOM FLOOR PLAN PER  
DSA APPL NO. 01-117742

EXISTING BUILDING A - RESTROOMS

NTS

**VERDE DESIGN**  
LANDSCAPE ARCHITECTURE  
CIVIL ENGINEERING  
SPORT PLANNING & DESIGN

2455 The Alameda  
Santa Clara, CA 95050  
tel: 408.985.7200  
fax: 408.985.7260  
www.VerdeDesigninc.com

STAMP

REGISTERED LANDSCAPE ARCHITECT  
No. 1148  
Signature  
EXPIRES ON DATE:  
2023  
STATE OF CALIFORNIA

CONSULTANT

SHEET TITLE

**PROJECT SITE  
ACCESSIBILITY  
PLAN**

PROJECT NAME

**LIBERTY HIGH SCHOOL  
BASEBALL INFIELD &  
SOFTBALL OUTFIELD  
IMPROVEMENTS**

PROJECT ADDRESS

**850 2ND ST  
BRENTWOOD, CA  
94513**

SUBMITTAL	DATE
BID SUBMITTAL	05/02/22

NO.	REVISIONS	DATE
1		
2		
3		
4		
5		

DRAWN BY  
**NN/JJ**

CHECKED BY  
**DM**

DATE ISSUED  
**04/01/2022**


SCALE  
**1"=20'-0"**

PROJ. NO.  
**2111100**

SHEET NO.  
**L-L0.4**

**PROJECT SITE ACCESSIBILITY PLAN**

ALL IDEAS, DESIGNS, ARRANGEMENTS, AND PLANS INDICATED OR REPRESENTED BY THIS DRAWING ARE OWNED BY AND THE PROPERTY OF VERDE DESIGN, INC. AND WERE CREATED, EVOLVED, AND DEVELOPED FOR USE ON AND IN CONNECTION WITH THE SPECIFIED PROJECT. NONE OF SUCH IDEAS, DESIGNS, ARRANGEMENTS OR PLANS SHALL BE USED, REPRODUCED, OR PUBLISHED BY ANY METHOD, IN WHOLE OR IN PART, OR DISCLOSED TO ANY PERSON, FIRM, OR CORPORATION FOR ANY PURPOSE, WHATSOEVER, WITHOUT WRITTEN PERMISSION OF VERDE DESIGN, INC.



DRAWING NAME: Y:\projects-sc\2021\211100 - liberty hs bb imp\cod\liberty HS\\_L1.dwg  
 PLOT DATE: 05-02-22 PLOTTED BY: station81

  
**VERDE DESIGN**  
 LANDSCAPE ARCHITECTURE  
 CIVIL ENGINEERING  
 SPORT PLANNING & DESIGN  
 2455 The Alameda  
 Santa Clara, CA 95050  
 tel: 408.985.7200  
 fax: 408.985.7260  
 www.VerdeDesigninc.com

STAMP

CONSULTANT

SHEET TITLE  
**EXISTING CONDITIONS  
 AND SURVEY PLAN  
 (FOR REFERENCE ONLY)**

PROJECT NAME  
**LIBERTY HIGH SCHOOL  
 BASEBALL INFIELD &  
 SOFTBALL OUTFIELD  
 IMPROVEMENTS**

PROJECT ADDRESS  
**850 2ND ST  
 BRENTWOOD, CA  
 94513**

SUBMITTAL	DATE
BID SUBMITTAL	05/02/22


NO.	REVISIONS	DATE
△		
△		
△		
△		
△		

DRAWN BY: NN/JJ      CHECKED BY: DM



DATE ISSUED: 04/01/2022      SCALE: 1"=20'-0"

PROJ. NO.: 2111100

SHEET NO.: **L-L1.1**



ALL IDEAS, DESIGNS, ARRANGEMENTS, AND PLANS INDICATED OR REPRESENTED BY THIS DRAWING ARE OWNED BY AND THE PROPERTY OF VERDE DESIGN, INC. AND WERE CREATED, EVOLVED, AND DEVELOPED FOR USE ON AND IN CONNECTION WITH THE SPECIFIED PROJECT. NONE OF SUCH IDEAS, DESIGNS, ARRANGEMENTS OR PLANS SHALL BE USED, REPRODUCED, OR PUBLISHED BY ANY METHOD, IN WHOLE OR IN PART, OR DISCLOSED TO ANY PERSON, FIRM, OR CORPORATION FOR ANY PURPOSE, WHATSOEVER, WITHOUT WRITTEN PERMISSION OF VERDE DESIGN, INC.



STAMP

CONSULTANT

SHEET TITLE  
**EXISTING CONDITIONS AND SURVEY PLAN (FOR REFERENCE ONLY)**

PROJECT NAME  
**LIBERTY HIGH SCHOOL BASEBALL INFIELD & SOFTBALL OUTFIELD IMPROVEMENTS**


PROJECT ADDRESS  
**850 2ND ST  
 BRENTWOOD, CA  
 94513**

SUBMITTAL	DATE
BID SUBMITTAL	05/02/22


NO.	REVISIONS	DATE
△		
△		
△		
△		
△		

DRAWN BY NN/JJ	CHECKED BY DM
DATE ISSUED 04/01/2022	SCALE 1"=20'-0"
PROJ. NO. 2111100	
SHEET NO. L-L1.2	


ALL IDEAS, DESIGNS, ARRANGEMENTS, AND PLANS INDICATED OR REPRESENTED BY THIS DRAWING ARE OWNED BY AND THE PROPERTY OF VERDE DESIGN, INC. AND WERE CREATED, EVOLVED, AND DEVELOPED FOR USE ON AND IN CONNECTION WITH THE SPECIFIED PROJECT. NONE OF SUCH IDEAS, DESIGNS, ARRANGEMENTS OR PLANS SHALL BE USED, REPRODUCED, OR PUBLISHED IN WHOLE OR IN PART, OR DISCLOSED TO ANY PERSON, FIRM, OR CORPORATION FOR ANY PURPOSE, WHATSOEVER, WITHOUT WRITTEN PERMISSION OF VERDE DESIGN, INC.



**D CONSTRUCTION CONCRETE WASHOUT FACILITY** NTS



**C STORM DRAIN INLET FILTER FOR EXISTING AND PROPOSED STORM DRAINS** NTS




**B RUMBLE PLATE CONSTRUCTION ENTRY** NTS

**EROSION AND SEDIMENT CONTROL NOTES**

- EROSION AND SEDIMENT CONTROL SHALL BE CONSTRUCTED DURING FIRST WEEK OF CONSTRUCTION.
- EROSION AND SEDIMENT CONTROL SHALL REMAIN THROUGHOUT CONSTRUCTION AND BE REMOVED AND DISPOSED OF DURING MAINTENANCE PERIOD.
- EROSION AND SEDIMENT CONTROL MAY BE ADJUSTED THROUGH CONSTRUCTION WITH APPROVAL OR AS DIRECTED BY DISTRICT'S REPRESENTATIVE.
- CONTRACTOR SHALL SWEEP STREETS AND PARKING AREAS AFFECTED BY CONSTRUCTION WITH STREET SWEEPER AS REQUIRED TO KEEP PAVING CLEAN OF CONSTRUCTION DEBRIS.


**EROSION AND SEDIMENT CONTROL LEGEND**

SYM	DESCRIPTION	DTL REF
①	FILTER FABRIC TO BE SECURELY ATTACHED TO DRAINAGE STRUCTURE TOP AND PERIMETER WADDLE	C
- - -	LIMIT OF WORK	
-----	SEDIMENT RETENTION FILTER ROLL	A, D
XXXXXX	CONSTRUCTION CONCRETE WASHOUT FACILITY - PROVIDE A WASHOUT BIN FOR CONSTRUCTION WASHOUT AND REMOVE AT END OF CONSTRUCTION.	
++++	CONSTRUCTION STAGING AREA	
++++	RUMBLE PLATE CONSTRUCTION ENTRY	B
→	DIRECTION OF SURFACE FLOW	



- NOTES:**
- INSTALL SEDIMENT RETENTION FIBER ROLLS (FIBER ROLLS / WATTLES) AS LOCATED ON PLANS AND AS REQUIRED PER THE STATE GENERAL PERMIT FOR STORMWATER DISCHARGE.
  - FIBER ROLLS SHALL BE CONSTRUCTED LONG ENOUGH TO EXTEND ACROSS FLOW PATH OF POTENTIAL RUN-OFF AND RUN-ON.
  - PREPARE GRADES REMOVING SURFACE DEVIATIONS, LARGE STONES OR DEBRIS THAT WILL INHIBIT CONTINUOUS CONTACT OF THE FIBER ROLL WITH THE GRADE.
  - PRIOR TO FIBER ROLL INSTALLATION EXCAVATE A CONCAVE TRENCH 2" MIN., 4" MAX. DEEP ALONG THE PROPOSED FIBER ROLL LOCATION.
  - INSTALL FIBER ROLLS WITH CONTINUOUS CONTACT OF THE BOTTOM OF THE EXCAVATED TRENCH.
  - STAKE ROLL ON BOTH SIDES 2' FROM OF ENDS AND AT 4' MAXIMUM SPACING WITH 1"x2"x24" STAKES. DRIVE STAKES IN ON ALTERNATING SIDES OF THE ROLL AND OVERLAP ABUTTING ROLL ENDS 12" MIN.
  - BACKFILLED BOTH SIDES TO WATTLE AND TAMP SOIL TO FIRM AND STABLE.
  - CONTRACTOR SHALL MAKE WEEKLY INSPECTIONS OR AS INDICATED IN STORMWATER POLLUTION PREVENTION PLAN, OR THE STATE GENERAL PERMIT FOR STORMWATER DISCHARGE.

**A SEDIMENT RETENTION FIBER ROLL** NTS



**VERDE DESIGN**  
 LANDSCAPE ARCHITECTURE  
 CIVIL ENGINEERING  
 SPORT PLANNING & DESIGN  
 2455 The Alameda  
 Santa Clara, CA 95050  
 Tel: 408.985.7200  
 Fax: 408.985.7260  
 www.VerdeDesignInc.com

STAMP

CONSULTANT

SHEET TITLE

**EROSION AND SEDIMENT CONTROL PLAN BASEBALL FIELD**


PROJECT NAME  
**LIBERTY HIGH SCHOOL BASEBALL INFIELD & SOFTBALL OUTFIELD IMPROVEMENTS**

PROJECT ADDRESS  
**850 2ND ST BRENTWOOD, CA 94513**

SUBMITTAL	DATE
BID SUBMITTAL	05/02/22

NO.	REVISIONS	DATE


DRAWN BY: NN/JJ  
 CHECKED BY: DM  
 DATE ISSUED: 04/01/2022  
 SCALE: 1"=20'-0"  
 PROJ. NO.: 2111100  
 SHEET NO.: L-L2.1







ALL IDEAS, DESIGNS, ARRANGEMENTS, AND PLANS INDICATED OR REPRESENTED BY THIS DRAWING ARE OWNED BY AND THE PROPERTY OF VERDE DESIGN, INC. AND WERE CREATED, EVOLVED, AND DEVELOPED FOR USE ON AND IN CONNECTION WITH THE SPECIFIED PROJECT. NONE OF SUCH IDEAS, DESIGNS, ARRANGEMENTS OR PLANS SHALL BE USED, REPRODUCED, OR PUBLISHED IN WHOLE OR IN PART, OR DISCLOSED TO ANY PERSON, FIRM, OR CORPORATION FOR ANY PURPOSE WITHOUT WRITTEN PERMISSION OF VERDE DESIGN, INC.



### DEMOLITION NOTES


- THE CONTRACTOR SHALL PERFORM ALL CLEARING, DEMOLITION, REMOVAL OF OBSTRUCTIONS AND SITE PREPARATIONS NECESSARY FOR THE PROPER EXECUTION OF ALL WORK CONTAINED IN THE CONTRACT DOCUMENTS.
- CONTRACTOR SHALL VERIFY LOCATION OF ALL EXISTING UTILITIES AND PROVIDE THE REQUIRED COORDINATION FOR THEIR TEMPORARY DISCONNECTION, PROTECTION, REMOVAL AND/OR STORAGE AS MAY BE REQUIRED DURING CONSTRUCTION. CONTRACTOR SHALL COORDINATE WITH THE OWNER TO DETERMINE WHETHER TEMPORARY SERVICES ARE NECESSARY.
- THE CONTRACTOR SHALL VISIT THE SITE PRIOR TO BID SUBMITTAL TO DETERMINE THE EXACT EXTENT AND DEPTH OF SITE DEMOLITION REQUIRED AND VERIFY COMPLIANCE WITH DRAWINGS. THE OWNER SHALL BE NOTIFIED IMMEDIATELY OF ANY DISCREPANCIES.
- THE CONTRACTOR SHALL VERIFY THE LOCATIONS OF ALL EXISTING UTILITIES, STRUCTURES AND SERVICES BEFORE COMMENCING WORK. THE LOCATIONS OF UTILITIES, STRUCTURES AND SERVICES SHOWN IN THE CONTRACT DOCUMENTS SHALL BE DEEMED TO BE APPROXIMATIONS ONLY. ALL DISCREPANCIES BETWEEN WHAT IS SHOWN AND THE ACTUAL FIELD CONDITIONS SHALL BE REPORTED TO THE OWNER'S REPRESENTATIVE. THE CONTRACTOR SHALL CONTACT UNDERGROUND SERVICE ALERT (USA) AT (800) 227-2600 PRIOR TO ANY DEMOLITION OR EXCAVATION. UPON COMPLETION OF USA MARKING OPERATIONS, CONTRACTOR SHALL RECORD ALL UTILITY MARKINGS ON A SEPARATE SET OF DRAWINGS. THIS SET SHALL BE KEPT ON-SITE FOR REFERENCE FOR DURATION OF CONTRACT. NOTIFY THE OWNER'S REPRESENTATIVE IMMEDIATELY SHOULD CONFLICTS ARISE AND REDIRECT WORK TO AVOID DELAY.
- ALL EXISTING ITEMS ARE TO REMAIN UNLESS OTHERWISE NOTED. THE CONTRACTOR SHALL BE RESPONSIBLE FOR REPAIRING OR REPLACING, AT CONTRACTOR'S EXPENSE, ANY EXISTING ITEM DAMAGED OR DESTROYED BY CONSTRUCTION OPERATIONS. CONTRACTOR SHALL ALSO BE RESPONSIBLE FOR REPAIRING OR REPLACING ANY AND ALL DAMAGES TO ADJACENT PROPERTIES. THE DAMAGED ITEMS SHALL BE RESTORED TO AN "AS-WAS" OR BETTER CONDITION OR REPLACED PER THE DISCRETION OF THE OWNER'S REPRESENTATIVE.
- PRIOR TO ANY DEMOLITION WORK, CONTRACTOR SHALL INSTALL SELF-SUPPORTING INTERLOCKING CHAIN-LINK TEMPORARY CONSTRUCTION FENCING TO ENCLOSE AND SECURE THE PROJECT AREA LIMIT OF WORK. THE FENCING SHALL CONTAIN PEDESTRIAN AND/OR VEHICULAR ACCESS GATES AS NECESSARY AND SHALL BE MINIMUM 6 FEET HIGH WITH A TOP AND BOTTOM RAIL WITH KNUCKLED TOP AND BOTTOM SELVAGE (NO BARBED WIRE PERMITTED). FENCE SHALL INCLUDE FULL HEIGHT GREEN SHADE CLOTH COVERING. THE CONSTRUCTION FENCING WORK SHALL BE SUBJECT TO THE DISCRETION OF THE OWNER'S REPRESENTATIVE.
- PRIOR TO ANY DEMOLITION WORK, CONTRACTOR SHALL PROTECT ALL EXISTING PLANT MATERIAL NOT SCHEDULED FOR REMOVAL BY INSTALLING TEMPORARY 4 FOOT HIGH "BLAZE ORANGE" CONSTRUCTION SAFETY FENCING AT THE DRIP LINE OR PERIMETER. THE FENCING SHALL BE SECURED WITH DRIVEN METAL STAKES. ALL TREE PROTECTION WORK SHALL BE SUBJECT TO THE DISCRETION OF THE OWNER'S REPRESENTATIVE.
- DEMOLITION SHALL INCLUDE THE REMOVAL OF ITEM AND ANY FOUNDATION OR STRUCTURAL SUPPORT RELATED TO ITEM FOR PLANT MATERIAL THIS SHALL INCLUDE STUMPS AND ROOTS OVER 2 INCHES IN DIAMETER. DISPOSAL SHALL BE OFF-SITE IN A LEGAL MANNER ACCEPTABLE TO THE OWNER'S REPRESENTATIVE AND IN COMPLIANCE WITH ALL FEDERAL, STATE AND LOCAL CODES AND ORDINANCES.
- REFER TO SPECIFICATIONS FOR ADDITIONAL CLEARING, GRUBBING, TOPSOIL STOCKPILING AND OTHER PERTINENT INFORMATION.

### DEMOLITION LEGEND

SYM	DESCRIPTION
	LIMIT OF WORK / CONSTRUCTION FENCING
	SAWCUT EXISTING PAVING
	EXISTING SURFACE VEGETATION TO BE REMOVED PER SPECIFICATIONS. EXISTING TOP SOIL SHALL BE REMOVED FROM SITE. REFER TO SPECIFICATIONS FOR INFORMATION. REMOVE EXCESS SOIL FROM SITE.
	EXISTING INFIELD FINES (APPROXIMATE DEPTH OF 4") TO BE REMOVED AND REUSED FOR BASE LAYERS OF NEW INFIELD FINES AREAS. REFER TO DETAIL F, SHEET D2.1. LEFT OVER INFIELD FINES TO BE DISPOSED OF.
	EXISTING HARDSCAPE AND BASE MATERIAL TO BE REMOVED
	EXISTING SURFACE VEGETATION TO BE REMOVED PER SPECIFICATIONS. EXISTING TOPSOIL TO REMAIN. REFER TO SPECIFICATIONS FOR INFORMATION.

- #### ITEMS TO BE DEMOLISHED AND/OR REMOVED
- 1 EXISTING BASES AND PEGS TO BE REMOVED
  - 2 EXISTING PITCHER'S MOUND INCLUDING PITCHER'S PLATE AND BASE TO BE DEMOLISHED AND REMOVED.
  - 3 REFER TO IRRIGATION DEMOLITION PLAN SHEET L-L3.3 & L-L3.4 FOR IRRIGATION DEMOLITION.

- #### ITEMS TO BE PROTECTED OR RELOCATED
- A EXISTING FENCE TO REMAIN AND BE PROTECTED. CONTRACTOR TO CHIP DOWN TOP OF EXISTING FENCE FOOTING TO ACCOMMODATE NEW CONCRETE SUB-CURB.
  - B EXISTING DUGOUT TO REMAIN AND BE PROTECTED.
  - C EXISTING FOUL POLE TO REMAIN AND BE PROTECTED.
  - D EXISTING BULLPEN TO REMAIN AND BE PROTECTED.
  - E EXISTING AREA DRAIN TO REMAIN. CONTRACTOR TO CONVERT AREA DRAIN TO JUNCTION BOX, REFER TO DETAIL G, SHEET D1.1.
  - F POTHOLE AND LOCATE EXISTING STORM DRAIN LINE. EXISTING STORM DRAIN LINE TO REMAIN AND BE PROTECTED. STORM DRAIN LINE TO SERVE AS DRAINAGE POINT OF CONNECTION, REFER TO DRAINAGE PLANS, SHEET H-L5.1 & H-L5.2.
  - G EXISTING SCOREBOARD TO REMAIN AND BE PROTECTED.
  - H EXISTING TREES TO REMAIN AND BE PROTECTED. REFER TO SPECIFICATIONS.



**VERDE DESIGN**  
 LANDSCAPE ARCHITECTURE  
 CIVIL ENGINEERING  
 SPORT PLANNING & DESIGN

2455 The Alameda  
 Santa Clara, CA 95050  
 tel: 408.985.7200  
 fax: 408.985.7260  
 www.VerdeDesign.com



STAMP  
 CONSULTANT

### SHEET TITLE

**DEMOLITION PLAN  
 BASEBALL FIELD**

PROJECT NAME  
**LIBERTY HIGH SCHOOL  
 BASEBALL INFIELD &  
 SOFTBALL OUTFIELD  
 IMPROVEMENTS**


PROJECT ADDRESS  
**850 2ND ST  
 BRENTWOOD, CA  
 94513**

SUBMITTAL	DATE
BID SUBMITTAL	05/02/22

NO.	REVISIONS	DATE
△		
△		
△		
△		
△		

DRAWN BY NN/JJ	CHECKED BY DM
DATE ISSUED 04/01/2022	SCALE 1"=20'-0"
PROJ. NO. 2111100	
SHEET NO. L-L3.1	

ALL IDEAS, DESIGNS, ARRANGEMENTS, AND PLANS INDICATED OR REPRESENTED BY THIS DRAWING ARE OWNED BY AND THE PROPERTY OF VERDE DESIGN, INC. AND WERE CREATED, EVOLVED, AND DEVELOPED FOR USE ON AND IN CONNECTION WITH THE SPECIFIED PROJECT. NONE OF SUCH IDEAS, DESIGNS, ARRANGEMENTS OR PLANS SHALL BE USED, REPRODUCED, OR PUBLISHED IN WHOLE OR IN PART, OR DISCLOSED TO ANY PERSON, FIRM, OR CORPORATION FOR ANY PURPOSE, WHATSOEVER, WITHOUT WRITTEN PERMISSION OF VERDE DESIGN, INC.



## DEMOLITION NOTES

- THE CONTRACTOR SHALL PERFORM ALL CLEARING, DEMOLITION, REMOVAL OF OBSTRUCTIONS AND SITE PREPARATIONS NECESSARY FOR THE PROPER EXECUTION OF ALL WORK CONTAINED IN THE CONTRACT DOCUMENTS.
- CONTRACTOR SHALL VERIFY LOCATION OF ALL EXISTING UTILITIES AND PROVIDE THE REQUIRED COORDINATION FOR THEIR TEMPORARY DISCONNECTION, PROTECTION, REMOVAL AND/OR STORAGE AS MAY BE REQUIRED DURING CONSTRUCTION. CONTRACTOR SHALL COORDINATE WITH THE OWNER TO DETERMINE WHETHER TEMPORARY SERVICES ARE NECESSARY.
- THE CONTRACTOR SHALL VISIT THE SITE PRIOR TO BID SUBMITTAL TO DETERMINE THE EXACT EXTENT AND DEPTH OF SITE DEMOLITION REQUIRED AND VERIFY COMPLIANCE WITH DRAWINGS. THE OWNER SHALL BE NOTIFIED IMMEDIATELY OF ANY DISCREPANCIES.
- THE CONTRACTOR SHALL VERIFY THE LOCATIONS OF ALL EXISTING UTILITIES, STRUCTURES AND SERVICES BEFORE COMMENCING WORK. THE LOCATIONS OF UTILITIES, STRUCTURES AND SERVICES SHOWN IN THE CONTRACT DOCUMENTS SHALL BE DEEMED TO BE APPROXIMATIONS ONLY. ALL DISCREPANCIES BETWEEN WHAT IS SHOWN AND THE ACTUAL FIELD CONDITIONS SHALL BE REPORTED TO THE OWNER'S REPRESENTATIVE. THE CONTRACTOR SHALL CONTACT UNDERGROUND SERVICE ALERT (USA) AT (800) 227-2600 PRIOR TO ANY DEMOLITION OR EXCAVATION. UPON COMPLETION OF USA MARKING OPERATIONS, CONTRACTOR SHALL RECORD ALL UTILITY MARKINGS ON A SEPARATE SET OF DRAWINGS. THIS SET SHALL BE KEPT ON-SITE FOR REFERENCE FOR DURATION OF CONTRACT. NOTIFY THE OWNER'S REPRESENTATIVE IMMEDIATELY SHOULD CONFLICTS ARISE AND REDIRECT WORK TO AVOID DELAY.
- ALL EXISTING ITEMS ARE TO REMAIN UNLESS OTHERWISE NOTED. THE CONTRACTOR SHALL BE RESPONSIBLE FOR REPAIRING OR REPLACING, AT CONTRACTOR'S EXPENSE, ANY EXISTING ITEM DAMAGED OR DESTROYED BY CONSTRUCTION OPERATIONS. CONTRACTOR SHALL ALSO BE RESPONSIBLE FOR REPAIRING OR REPLACING ANY AND ALL DAMAGES TO ADJACENT PROPERTIES. THE DAMAGED ITEMS SHALL BE RESTORED TO AN "AS-WAS" OR BETTER CONDITION OR REPLACED PER THE DISCRETION OF THE OWNER'S REPRESENTATIVE.
- PRIOR TO ANY DEMOLITION WORK, CONTRACTOR SHALL INSTALL SELF-SUPPORTING INTERLOCKING CHAIN-LINK TEMPORARY CONSTRUCTION FENCING TO ENCLOSE AND SECURE THE PROJECT AREA LIMIT OF WORK. THE FENCING SHALL CONTAIN PEDESTRIAN AND/OR VEHICULAR ACCESS GATES AS NECESSARY AND SHALL BE MINIMUM 6 FEET HIGH WITH A TOP AND BOTTOM RAIL WITH KNUCKLED TOP AND BOTTOM SELVAGE (NO BARBED WIRE PERMITTED). FENCE SHALL INCLUDE FULL HEIGHT GREEN SHADE CLOTH COVERINGS. THE CONSTRUCTION FENCING WORK SHALL BE SUBJECT TO THE DISCRETION OF THE OWNER'S REPRESENTATIVE.
- PRIOR TO ANY DEMOLITION WORK, CONTRACTOR SHALL PROTECT ALL EXISTING PLANT MATERIAL NOT SCHEDULED FOR REMOVAL BY INSTALLING TEMPORARY 4 FOOT HIGH "BLAZE ORANGE" CONSTRUCTION SAFETY FENCING AT THE DRIP LINE OR PERIMETER. THE FENCING SHALL BE SECURED WITH DRIVEN METAL STAKES. ALL TREE PROTECTION WORK SHALL BE SUBJECT TO THE DISCRETION OF THE OWNER'S REPRESENTATIVE.
- DEMOLITION SHALL INCLUDE THE REMOVAL OF ITEM AND ANY FOUNDATION OR STRUCTURAL SUPPORT RELATED TO ITEM FOR PLANT MATERIAL THIS SHALL INCLUDE STUMPS AND ROOTS OVER 2 INCHES IN DIAMETER. DISPOSAL SHALL BE OFF-SITE IN A LEGAL MANNER ACCEPTABLE TO THE OWNER'S REPRESENTATIVE AND IN COMPLIANCE WITH ALL FEDERAL, STATE AND LOCAL CODES AND ORDINANCES.
- REFER TO SPECIFICATIONS FOR ADDITIONAL CLEARING, GRUBBING, TOPSOIL STOCKPILING AND OTHER PERTINENT INFORMATION.

## DEMOLITION LEGEND


SYM	DESCRIPTION
	LIMIT OF WORK / CONSTRUCTION FENCING
	SAWCUT EXISTING PAVING
	EXISTING SURFACE VEGETATION TO BE REMOVED PER SPECIFICATIONS. EXISTING TOP SOIL SHALL BE REMOVED FROM SITE. REFER TO SPECIFICATIONS FOR INFORMATION. REMOVE EXCESS SOIL FROM SITE.
	EXISTING INFIELD FINES (APPROXIMATE DEPTH OF 4") TO BE REMOVED AND REUSED FOR BASE LAYERS OF NEW INFIELD FINES AREAS. REFER TO DETAIL F, SHEET D2.1. LEFT OVER INFIELD FINES TO BE DISPOSED OF.
	EXISTING HARDSCAPE AND BASE MATERIAL TO BE REMOVED
	EXISTING SURFACE VEGETATION TO BE REMOVED PER SPECIFICATIONS. EXISTING TOPSOIL TO REMAIN. REFER TO SPECIFICATIONS FOR INFORMATION.

### ITEMS TO BE DEMOLISHED AND/OR REMOVED


- EXISTING BASES AND PEGS TO BE REMOVED
- EXISTING PITCHER'S MOUND INCLUDING PITCHER'S PLATE AND BASE TO BE DEMOLISHED AND REMOVED.
- REFER TO IRRIGATION DEMOLITION PLAN SHEET L-L3.3 & L-L3.4 FOR IRRIGATION DEMOLITION.

### ITEMS TO BE PROTECTED OR RELOCATED

- A** EXISTING FENCE TO REMAIN AND BE PROTECTED. CONTRACTOR TO CHIP DOWN TOP OF EXISTING FENCE FOOTING TO ACCOMMODATE NEW CONCRETE SUB-CURB.
- B** EXISTING DUGOUT TO REMAIN AND BE PROTECTED.
- C** EXISTING FOUL POLE TO REMAIN AND BE PROTECTED.
- D** EXISTING BULLPEN TO REMAIN AND BE PROTECTED.
- E** EXISTING AREA DRAIN TO REMAIN. CONTRACTOR TO CONVERT AREA DRAIN TO JUNCTION BOX, REFER TO DETAIL G, SHEET D1.1.
- F** POTHOLE AND LOCATE EXISTING STORM DRAIN LINE. EXISTING STORM DRAIN LINE TO REMAIN AND BE PROTECTED. STORM DRAIN LINE TO SERVE AS DRAINAGE POINT OF CONNECTION, REFER TO DRAINAGE PLANS, SHEET H-L5.1 & H-L5.2.
- G** EXISTING SCOREBOARD TO REMAIN AND BE PROTECTED.
- H** EXISTING TREES TO REMAIN AND BE PROTECTED. REFER TO SPECIFICATIONS.



**VERDE DESIGN**  
 LANDSCAPE ARCHITECTURE  
 CIVIL ENGINEERING  
 SPORT PLANNING & DESIGN  
 2455 The Alameda  
 Santa Clara, CA 95050  
 tel: 408.985.7200  
 fax: 408.985.7260  
 www.VerdeDesigninc.com



STAMP  
 CONSULTANT

SHEET TITLE  
**DEMOLITION PLAN  
 SOFTBALL FIELD**

PROJECT NAME  
**LIBERTY HIGH SCHOOL  
 BASEBALL INFIELD &  
 SOFTBALL OUTFIELD  
 IMPROVEMENTS**


PROJECT ADDRESS  
**850 2ND ST  
 BRENTWOOD, CA  
 94513**

SUBMITTAL	DATE
BID SUBMITTAL	05/02/22

NO.	REVISIONS	DATE

DRAWN BY NN/JJ	CHECKED BY DM
DATE ISSUED 04/01/2022	SCALE 1"=20'-0"
PROJ. NO. 2111100	SHEET NO. L-L3.2

SPRUCE ST




CUT AND STUB THE EXISTING IRRIGATION MAIN LINE. FUTURE POINT OF CONNECTION FOR IMPROVEMENTS. REFER TO IRRIGATION PLAN FOR IMPROVEMENTS LB.1.

**DEMOLITION NOTES**

1. THE CONTRACTOR SHALL PERFORM ALL CLEARING, DEMOLITION, REMOVAL OF OBSTRUCTIONS AND SITE PREPARATIONS NECESSARY FOR THE PROPER EXECUTION OF ALL WORK CONTAINED IN THE CONTRACT DOCUMENTS.
2. CONTRACTOR SHALL VERIFY LOCATION OF ALL EXISTING UTILITIES AND PROVIDE THE REQUIRED COORDINATION FOR THEIR TEMPORARY DISCONNECTION, PROTECTION, REMOVAL AND/OR STORAGE AS MAY BE REQUIRED DURING CONSTRUCTION. CONTRACTOR SHALL COORDINATE WITH THE OWNER TO DETERMINE WHETHER TEMPORARY SERVICES ARE NECESSARY.
3. THE CONTRACTOR SHALL VISIT THE SITE PRIOR TO BID SUBMITTAL TO DETERMINE THE EXACT EXTENT AND DEPTH OF SITE DEMOLITION REQUIRED AND VERIFY COMPLIANCE WITH DRAWINGS. THE OWNER SHALL BE NOTIFIED IMMEDIATELY OF ANY DISCREPANCIES.
4. THE CONTRACTOR SHALL VERIFY THE LOCATIONS OF ALL EXISTING UTILITIES, STRUCTURES AND SERVICES BEFORE COMMENCING WORK. THE LOCATIONS OF UTILITIES, STRUCTURES AND SERVICES SHOWN IN THE CONTRACT DOCUMENTS SHALL BE DEEMED TO BE APPROXIMATIONS ONLY. ALL DISCREPANCIES BETWEEN WHAT IS SHOWN AND THE ACTUAL FIELD CONDITIONS SHALL BE REPORTED TO THE OWNER'S REPRESENTATIVE. THE CONTRACTOR SHALL CONTACT UNDERGROUND SERVICE ALERT (USA) AT (800) 227-2600 PRIOR TO ANY DEMOLITION OR EXCAVATION. UPON COMPLETION OF USA MARKING OPERATIONS, CONTRACTOR SHALL RECORD ALL UTILITY MARKINGS ON A SEPARATE SET OF DRAWINGS. THIS SET SHALL BE KEPT ON-SITE FOR REFERENCE FOR DURATION OF CONTRACT. NOTIFY THE OWNER'S REPRESENTATIVE IMMEDIATELY SHOULD CONFLICTS ARISE AND REDIRECT WORK TO AVOID DELAY.
5. ALL EXISTING ITEMS ARE TO REMAIN UNLESS OTHERWISE NOTED. THE CONTRACTOR SHALL BE RESPONSIBLE FOR REPAIRING OR REPLACING, AT CONTRACTOR'S EXPENSE, ANY EXISTING ITEM DAMAGED OR DESTROYED BY CONSTRUCTION OPERATIONS. CONTRACTOR SHALL ALSO BE RESPONSIBLE FOR REPAIRING OR REPLACING ANY AND ALL DAMAGES TO ADJACENT PROPERTIES. THE DAMAGED ITEMS SHALL BE RESTORED TO AN "AS-WAS" OR BETTER CONDITION OR REPLACED PER THE DISCRETION OF THE OWNER'S REPRESENTATIVE.
6. PRIOR TO ANY DEMOLITION WORK, CONTRACTOR SHALL INSTALL SELF-SUPPORTING INTERLOCKING CHAIN-LINK TEMPORARY CONSTRUCTION FENCING TO ENCLOSE AND SECURE THE PROJECT AREA LIMIT OF WORK. THE FENCING SHALL CONTAIN PEDESTRIAN AND/OR VEHICULAR ACCESS GATES AS NECESSARY AND SHALL BE MINIMUM 6 FEET HIGH WITH A TOP AND BOTTOM RAIL WITH KNUCKLED TOP AND BOTTOM SELVAGE (NO BARBED WIRE PERMITTED). FENCE SHALL INCLUDE FULL HEIGHT GREEN SHADE CLOTH COVERING. THE CONSTRUCTION FENCING WORK SHALL BE SUBJECT TO THE DISCRETION OF THE OWNER'S REPRESENTATIVE.
7. PRIOR TO ANY DEMOLITION WORK, CONTRACTOR SHALL PROTECT ALL EXISTING PLANT MATERIAL NOT SCHEDULED FOR REMOVAL BY INSTALLING TEMPORARY 4 FOOT HIGH "BLAZE ORANGE" CONSTRUCTION SAFETY FENCING AT THE DRIP LINE OR PERIMETER. THE FENCING SHALL BE SECURED WITH DRIVEN METAL STAKES. ALL TREE PROTECTION WORK SHALL BE SUBJECT TO THE DISCRETION OF THE OWNER'S REPRESENTATIVE.
8. DEMOLITION SHALL INCLUDE THE REMOVAL OF ITEM AND ANY FOUNDATION OR STRUCTURAL SUPPORT RELATED TO ITEM FOR PLANT MATERIAL THIS SHALL INCLUDE STUMPS AND ROOTS OVER 2 INCHES IN DIAMETER. DISPOSAL SHALL BE OFF-SITE IN A LEGAL MANNER ACCEPTABLE TO THE OWNER'S REPRESENTATIVE AND IN COMPLIANCE WITH ALL FEDERAL, STATE AND LOCAL CODES AND ORDINANCES.
9. REFER TO SPECIFICATIONS FOR ADDITIONAL CLEARING, GRUBBING, TOPSOIL STOCKPILING AND OTHER PERTINENT INFORMATION.

**VERDE DESIGN**  
 LANDSCAPE ARCHITECTURE  
 CIVIL ENGINEERING  
 SPORT PLANNING & DESIGN

2455 The Alameda  
 Santa Clara, CA 95050  
 tel: 408.985.7200  
 fax: 408.985.7260  
 www.VerdeDesign.com



**DEMOLITION LEGEND**

SYM	DESCRIPTION
	EXISTING IRRIGATION LINE AND ASSOCIATED IRRIGATION SPRAY HEAD/ROTORS TO BE DEMOLISHED AND REMOVED. HEADS AND ROTORS TO BE SALVAGED AND TURNED OVER TO THE SCHOOL. CAP IRRIGATION LINE AS NECESSARY.
	EXISTING IRRIGATION LINE TO REMAIN AND BE PROTECTED. ASSOCIATED IRRIGATION SPRAY HEAD/ROTORS TO BE DEMOLISHED AND REMOVED. HEADS AND ROTORS TO BE SALVAGED AND TURNED OVER TO THE SCHOOL.
	EXISTING IRRIGATION MAIN LINE TO REMAIN AND BE PROTECTED
	EXISTING IRRIGATION MAIN LINE AND ASSOCIATED QUICK COUPLER VALVES TO BE DEMOLISHED AND REMOVED. QUICK COUPLERS TO BE SALVAGED AND TURNED OVER TO THE SCHOOL.
	EXISTING LATERAL LINE TO REMAIN AND BE PROTECTED
	EXISTING IRRIGATION CONTROL VALVE TO BE REMOVED AND SALVAGED. REFER TO DEMOLITION ITEMS NOTES BELOW.
	EXISTING IRRIGATION CONTROL VALVE TO BE REMAIN AND BE PROTECTED/RELOCATED. REFER TO DEMOLITION ITEMS NOTES BELOW.
	EXISTING IRRIGATION CONTROLLERS TO REMAIN.

**ITEMS TO BE DEMOLISHED AND/OR REMOVED**

①


**ITEMS TO BE PROTECTED OR RELOCATED**

A

**IRRIGATION LEGEND**

SYMBOL	NUMBER	DESCRIPTION	PSI	GPM OR GPH	CATALOG RADIUS (MIN./MAX.)	DESIGN RADIUS (MIN./MAX.)	PRECIP. RATE
<b>4" POP-UP ROTOR HEADS AT TURF, RECYCLED WATER CAP</b>							
	F4-FC-SS-NP-10	RAIN BIRD FALCON 6504 SERIES, FULL CIRCLE, SMALL RADIUS	40	8.1	41-51	41-51	0.35
	F4-PC-SS-NP-14	RAIN BIRD FALCON 6504 SERIES, PART CIRCLE, LARGE RADIUS	40	11.3	44-55	44-51	0.96
	F4-PC-SS-NP-8	RAIN BIRD FALCON 6504 SERIES, QTR. CIRCLE, LARGE RADIUS	40	6.6	40-49	40-49	1.22
<b>NOTE: ANY (E) FULL-CIRCLE ROTOR HEADS LOCATED IN THE (E) BALLFIELD REQUIRING FULL REPLACEMENT DUE TO POOR PERFORMANCE OR BAD CONDITION SHALL BE REPLACED WITH A RAIN BIRD FALCON 6504 SERIES ROTOR HEAD, MODEL # F4-FC-NP-18. (E) PART-CIRCLE ROTOR HEADS SHALL BE REPLACED WITH MODEL # F4-PC-NP-14.</b>							
<b>6" POP-UP SPRAYS AT TURF, RECYCLED WATER CAP</b>							
	PROS-06-NSI-PRS30-CV-R/12H,Q	HUNTER 6" POP-UP BODY WITH CHECK VALVE, RECYCLED CAP, & HUNTER NOZZLE	30	1.3,0.7	10-12	10-12	2.0 IN/H
	PROS-06-NSI-PRS30-CV-R/10H,Q	HUNTER 6" POP-UP BODY WITH CHECK VALVE, RECYCLED CAP, & HUNTER NOZZLE	30	0.9,0.4	8-10	8-10	2.0 IN/H
	PROS-06-NSI-PRS30-CV-R/8H	HUNTER 6" POP-UP BODY WITH CHECK VALVE, RECYCLED CAP, & HUNTER NOZZLE	30	0.5	6-8		1.7 IN/H

**SLEEVES AND PIPE**



4 & 6-INCH MAIN LINE: 1120-CLASS 200 PVC PURPLE PLASTIC PIPE FOR RECYCLED WATER USE WITH GASKETED CONNECTIONS. USE LEMCO DUCTILE IRON GASKETED FITTINGS AND JOINT RESTRAINTS AT ALL CHANGES IN DIRECTION. PROVIDE T. CHRISTY POLYETHYLENE FITTING WRAP AROUND ALL DI FITTINGS. USE AN EPOXY COATED DUCTILE IRON SADDLE FOR VALVE CONNECTIONS AND CONTINUATION OF 2.5-INCH OR SMALLER MAIN LINE. SOIL COVER: 24-INCH IN SOIL, 24-INCH UNDER PEDESTRIAN PAVEMENT, 24-INCH UNDER VEHICULAR PAVEMENT. SIZE AS NOTED. PROVIDE T. CHRISTY BURIED DETECTABLE WARNING TAPE PER THE SPECIFICATIONS.

2.5-INCH & SMALLER MAIN LINE: 1120-SCHEDULE 40 PVC PURPLE PLASTIC PIPE FOR RECYCLED WATER USE WITH SOLVENT WELDED CONNECTIONS, SCHEDULE 40 PVC PLASTIC SOLVENT WELDED FITTINGS. SOIL COVER: 18-INCH IN SOIL, 18-INCH UNDER PEDESTRIAN PAVEMENT, 24-INCH UNDER VEHICULAR PAVEMENT. SIZE AS NOTED. PROVIDE T. CHRISTY BURIED DETECTABLE WARNING TAPE PER THE SPECIFICATIONS.

(E) AC TRANSITE IRRIGATION MAIN LINE SHALL BE ABANDONED IN PLACE, SEE CIVIL PLANS.

LATERAL LINE: 1120-SCHEDULE 40 PVC PURPLE PLASTIC PIPE FOR RECYCLED WATER USE WITH SCHEDULE 40 PVC PLASTIC SOLVENT WELDED FITTINGS. 12-INCH SOIL COVER. SIZE 1-INCH UNLESS OTHERWISE NOTED.

SLEEVE: 1120-CLASS 200 OR 1120-SCHEDULE 40 PVC PLASTIC PIPE, WHICHEVER HAS THE LARGEST WALL THICKNESS, WITH SCHEDULE 40 PVC PLASTIC SOLVENT WELDED FITTINGS. SOIL COVER TO BE EQUAL TO COVER REQUIRED FOR PIPE CONTAINED WITHIN SLEEVE 18-INCH MINIMUM COVER, 2-INCH DIA. UNLESS OTHERWISE NOTED.

SHEET TITLE  
**IRRIGATION DEMOLITION PLAN  
 BASEBALL FIELD**

PROJECT NAME  
**LIBERTY HIGH SCHOOL  
 BASEBALL INFIELD &  
 SOFTBALL OUTFIELD  
 IMPROVEMENTS**

PROJECT ADDRESS  
**850 2ND ST  
 BRENTWOOD, CA  
 94513**

SUBMITTAL	DATE
BID SUBMITTAL	05/02/22

NO.	REVISIONS	DATE
△		
△		
△		
△		
△		
△		

DRAWN BY: NN/JJ      CHECKED BY: DM

DATE ISSUED: 04/01/2022      SCALE: 1"=20'-0"

PROJ. NO.: 2111100

SHEET NO.: **L-L3.3**



ALL IDEAS, DESIGNS, ARRANGEMENTS, AND PLANS INDICATED OR REPRESENTED BY THIS DRAWING ARE OWNED BY AND THE PROPERTY OF VERDE DESIGN, INC. AND WERE CREATED, EVOLVED, AND DEVELOPED FOR USE ON AND IN CONNECTION WITH THE SPECIFIED PROJECT. NONE OF SUCH IDEAS, DESIGNS, ARRANGEMENTS OR PLANS SHALL BE USED, REPRODUCED, OR PUBLISHED IN WHOLE OR IN PART, OR DISCLOSED TO ANY PERSON, FIRM, OR CORPORATION FOR ANY PURPOSE, WHATSOEVER, WITHOUT WRITTEN PERMISSION OF VERDE DESIGN, INC.

ALL IDEAS, DESIGNS, ARRANGEMENTS, AND PLANS INDICATED OR REPRESENTED BY THIS DRAWING ARE OWNED BY AND THE PROPERTY OF VERDE DESIGN, INC. AND WERE CREATED, EVOLVED, AND DEVELOPED FOR USE ON AND IN CONNECTION WITH THE SPECIFIED PROJECT. NONE OF SUCH IDEAS, DESIGNS, ARRANGEMENTS OR PLANS SHALL BE USED, REPRODUCED, OR PUBLISHED IN WHOLE OR IN PART, OR DISCLOSED TO ANY PERSON, FIRM, OR CORPORATION FOR ANY PURPOSE, WHATSOEVER, WITHOUT WRITTEN PERMISSION OF VERDE DESIGN, INC.

**IRRIGATION LEGEND**

SYMBOL	NUMBER	DESCRIPTION	PSI	GPM OR GPH	CATALOG RADIUS (MIN./MAX.)	DESIGN RADIUS (MIN./MAX.)	PRECIP. RATE
<b>4" POP-UP ROTOR HEADS AT TURF, RECYCLED WATER CAP</b>							
●	F4-FC-SS-NP-10	RAIN BIRD FALCON 6504 SERIES, FULL CIRCLE, SMALL RADIUS	40	8.1	41-51	41-51	0.35
⊕	F4-PC-SS-NP-14	RAIN BIRD FALCON 6504 SERIES, PART CIRCLE, LARGE RADIUS	40	11.3	44-55	44-51	0.96
⊕	F4-PC-SS-NP-8	RAIN BIRD FALCON 6504 SERIES, QTR. CIRCLE, LARGE RADIUS	40	6.6	40-49	40-49	1.22

NOTE: ANY (E) FULL-CIRCLE ROTOR HEADS LOCATED IN THE (E) BALLFIELD REQUIRING FULL REPLACEMENT DUE TO POOR PERFORMANCE OR BAD CONDITION SHALL BE REPLACED WITH A RAIN BIRD FALCON 6504 SERIES ROTOR HEAD, MODEL # F4-FC-NP-18. (E) PART-CIRCLE ROTOR HEADS SHALL BE REPLACED WITH MODEL # F4-PC-NP-14.

SYMBOL	NUMBER	DESCRIPTION	PSI	GPM OR GPH	CATALOG RADIUS (MIN./MAX.)	DESIGN RADIUS (MIN./MAX.)	PRECIP. RATE
<b>6" POP-UP SPRAYS AT TURF, RECYCLED WATER CAP</b>							
⊕	PROS-06-NSI-PRS30-CV-R/12H,Q	HUNTER 6" POP-UP BODY WITH CHECK VALVE, RECYCLED CAP, & HUNTER NOZZLE	30	1.3,0.7	10-12	10-12	2.0 IN/H
⊕	PROS-06-NSI-PRS30-CV-R/10H,Q	HUNTER 6" POP-UP BODY WITH CHECK VALVE, RECYCLED CAP, & HUNTER NOZZLE	30	0.9,0.4	8-10	8-10	2.0 IN/H
⊕	PROS-06-NSI-PRS30-CV-R/8H	HUNTER 6" POP-UP BODY WITH CHECK VALVE, RECYCLED CAP, & HUNTER NOZZLE	30	0.5	6-8		1.7 IN/H

**SLEEVES AND PIPE**

4 & 6-INCH MAIN LINE: 1120-CLASS 200 PVC PURPLE PLASTIC PIPE FOR RECYCLED WATER USE WITH GASKETED CONNECTIONS. USE LEMCO DUCTILE IRON GASKETED FITTINGS AND JOINT RESTRAINTS AT ALL CHANGES IN DIRECTION. PROVIDE T. CHRISTY POLYETHYLENE FITTING WRAP AROUND ALL DI FITTINGS. USE AN EPOXY COATED DUCTILE IRON SADDLE FOR VALVE CONNECTIONS AND CONTINUATION OF 2.5-INCH OR SMALLER MAIN LINE. SOIL COVER: 24-INCH UNDER PEDESTRIAN PAVEMENT, 24-INCH UNDER VEHICULAR PAVEMENT. SIZE AS NOTED. PROVIDE T. CHRISTY BURIED DETECTABLE WARNING TAPE PER THE SPECIFICATIONS.

2.5-INCH & SMALLER MAIN LINE: 1120-SCHEDULE 40 PVC PURPLE PLASTIC PIPE FOR RECYCLED WATER USE WITH SOLVENT WELDED CONNECTIONS, SCHEDULE 40 PVC PLASTIC SOLVENT WELDED FITTINGS. SOIL COVER: 18-INCH IN SOIL, 18-INCH UNDER PEDESTRIAN PAVEMENT, 24-INCH UNDER VEHICULAR PAVEMENT. SIZE AS NOTED. PROVIDE T. CHRISTY BURIED DETECTABLE WARNING TAPE PER THE SPECIFICATIONS.

(E) AC TRANSITE IRRIGATION MAIN LINE SHALL BE ABANDONED IN PLACE, SEE CIVIL PLANS.

LATERAL LINE: 1120-SCHEDULE 40 PVC PURPLE PLASTIC PIPE FOR RECYCLED WATER USE WITH SCHEDULE 40 PVC PLASTIC SOLVENT WELDED FITTINGS. 12-INCH SOIL COVER. SIZE 1-INCH UNLESS OTHERWISE NOTED.

SLEEVE: 1120-CLASS 200 OR 1120-SCHEDULE 40 PVC PLASTIC PIPE, WHICHEVER HAS THE LARGEST WALL THICKNESS, WITH SCHEDULE 40 PVC PLASTIC SOLVENT WELDED FITTINGS. SOIL COVER TO BE EQUAL TO COVER REQUIRED FOR PIPE CONTAINED WITHIN SLEEVE 18-INCH MINIMUM COVER. 2-INCH DIA. UNLESS OTHERWISE NOTED.

**DEMOLITION NOTES**

- THE CONTRACTOR SHALL PERFORM ALL CLEARING, DEMOLITION, REMOVAL OF OBSTRUCTIONS AND SITE PREPARATIONS NECESSARY FOR THE PROPER EXECUTION OF ALL WORK CONTAINED IN THE CONTRACT DOCUMENTS.
- CONTRACTOR SHALL VERIFY LOCATION OF ALL EXISTING UTILITIES AND PROVIDE THE REQUIRED COORDINATION FOR THEIR TEMPORARY DISCONNECTION, PROTECTION, REMOVAL AND/OR STORAGE AS MAY BE REQUIRED DURING CONSTRUCTION. CONTRACTOR SHALL COORDINATE WITH THE OWNER TO DETERMINE WHETHER TEMPORARY SERVICES ARE NECESSARY.
- THE CONTRACTOR SHALL VISIT THE SITE PRIOR TO BID SUBMITTAL TO DETERMINE THE EXACT EXTENT AND DEPTH OF SITE DEMOLITION REQUIRED AND VERIFY COMPLIANCE WITH DRAWINGS. THE OWNER SHALL BE NOTIFIED IMMEDIATELY OF ANY DISCREPANCIES.
- THE CONTRACTOR SHALL VERIFY THE LOCATIONS OF ALL EXISTING UTILITIES, STRUCTURES AND SERVICES SHOWN IN THE CONTRACT DOCUMENTS SHALL BE DEEMED TO BE APPROXIMATIONS ONLY. ALL DISCREPANCIES BETWEEN WHAT IS SHOWN AND THE ACTUAL FIELD CONDITIONS SHALL BE REPORTED TO THE OWNER'S REPRESENTATIVE. THE CONTRACTOR SHALL CONTACT UNDERGROUND SERVICE ALERT (USA) AT (800) 227-2600 PRIOR TO ANY DEMOLITION OR EXCAVATION. UPON COMPLETION OF USA MARKING OPERATIONS, CONTRACTOR SHALL RECORD ALL UTILITY MARKINGS ON A SEPARATE SET OF DRAWINGS. THIS SET SHALL BE KEPT ON-SITE FOR REFERENCE FOR DURATION OF CONTRACT. NOTIFY THE OWNER'S REPRESENTATIVE IMMEDIATELY SHOULD CONFLICTS ARISE AND REDIRECT WORK TO AVOID DELAY.
- ALL EXISTING ITEMS ARE TO REMAIN UNLESS OTHERWISE NOTED. THE CONTRACTOR SHALL BE RESPONSIBLE FOR REPAIRING OR REPLACING, AT CONTRACTOR'S EXPENSE, ANY EXISTING ITEM DAMAGED OR DESTROYED BY CONSTRUCTION OPERATIONS. CONTRACTOR SHALL ALSO BE RESPONSIBLE FOR REPAIRING OR REPLACING ANY AND ALL DAMAGES TO ADJACENT PROPERTIES. THE DAMAGED ITEMS SHALL BE RESTORED TO AN "AS-WAS" OR BETTER CONDITION OR REPLACED PER THE DISCRETION OF THE OWNER'S REPRESENTATIVE.
- PRIOR TO ANY DEMOLITION WORK, CONTRACTOR SHALL INSTALL SELF-SUPPORTING INTERLOCKING CHAIN-LINK TEMPORARY CONSTRUCTION FENCING TO ENCLOSE AND SECURE THE PROJECT AREA LIMIT OF WORK. THE FENCING SHALL CONTAIN PEDESTRIAN AND/OR VEHICULAR ACCESS GATES AS NECESSARY AND SHALL BE MINIMUM 6 FEET HIGH WITH A TOP AND BOTTOM RAIL WITH KNUCKLED TOP AND BOTTOM SELVAGE (NO BARBED WIRE PERMITTED). FENCE SHALL INCLUDE FULL HEIGHT GREEN SHADE CLOTH COVERING. THE CONSTRUCTION FENCING WORK SHALL BE SUBJECT TO THE DISCRETION OF THE OWNER'S REPRESENTATIVE.
- PRIOR TO ANY DEMOLITION WORK, CONTRACTOR SHALL PROTECT ALL EXISTING PLANT MATERIAL NOT SCHEDULED FOR REMOVAL BY INSTALLING TEMPORARY 4 FOOT HIGH "BLAZE ORANGE" CONSTRUCTION SAFETY FENCING AT THE DRIP LINE OR PERIMETER. THE FENCING SHALL BE SECURED WITH DRIVEN METAL STAKES. ALL TREE PROTECTION WORK SHALL BE SUBJECT TO THE DISCRETION OF THE OWNER'S REPRESENTATIVE.
- DEMOLITION SHALL INCLUDE THE REMOVAL OF ITEM AND ANY FOUNDATION OR STRUCTURAL SUPPORT RELATED TO ITEM FOR PLANT MATERIAL THIS SHALL INCLUDE STUMPS AND ROOTS OVER 2 INCHES IN DIAMETER. DISPOSAL SHALL BE OFF-SITE IN A LEGAL MANNER ACCEPTABLE TO THE OWNER'S REPRESENTATIVE AND IN COMPLIANCE WITH ALL FEDERAL, STATE AND LOCAL CODES AND ORDINANCES.
- REFER TO SPECIFICATIONS FOR ADDITIONAL CLEARING, GRUBBING, TOPSOIL STOCKPILING AND OTHER PERTINENT INFORMATION.

**VERDE DESIGN**  
 LANDSCAPE ARCHITECTURE  
 CIVIL ENGINEERING  
 SPORT PLANNING & DESIGN

2455 The Alameda  
 Santa Clara, CA 95050  
 tel: 408.985.7200  
 fax: 408.985.7260  
 www.VerdeDesigninc.com

STAMP

CONSULTANT

**DEMOLITION LEGEND**


SYM	DESCRIPTION
---	EXISTING IRRIGATION LINE AND ASSOCIATED IRRIGATION SPRAY HEAD/ROTORS TO BE DEMOLISHED AND REMOVED. HEADS AND ROTORS TO BE SALVAGED AND TURNED OVER TO THE SCHOOL. CAP IRRIGATION LINE AS NECESSARY.
---	EXISTING IRRIGATION LINE TO REMAIN AND BE PROTECTED. ASSOCIATED IRRIGATION SPRAY HEAD/ROTORS TO BE DEMOLISHED AND REMOVED. HEADS AND ROTORS TO BE SALVAGED AND TURNED OVER TO THE SCHOOL.
---	EXISTING IRRIGATION MAIN LINE TO REMAIN AND BE PROTECTED
---	EXISTING IRRIGATION MAIN LINE AND ASSOCIATED QUICK COUPLER VALVES TO BE DEMOLISHED AND REMOVED. QUICK COUPLERS TO BE SALVAGED AND TURNED OVER TO THE SCHOOL.
---	EXISTING LATERAL LINE TO REMAIN AND BE PROTECTED
⊕	EXISTING IRRIGATION CONTROL VALVE TO BE REMOVED AND SALVAGED. REFER TO DEMOLITION ITEMS NOTES BELOW.
⊕	EXISTING IRRIGATION CONTROL VALVE TO BE REMAIN AND BE PROTECTED/RELOCATED. REFER TO DEMOLITION ITEMS NOTES BELOW.
A	EXISTING IRRIGATION CONTROLLERS TO REMAIN.

**ITEMS TO BE DEMOLISHED AND/OR REMOVED**

- 1

**ITEMS TO BE PROTECTED OR RELOCATED**

- A EXISTING IRRIGATION VALVE STATIONS: A17 - A21
- IRRIGATION VALVE AND ASSOCIATED LINES AND SPRAY/ROTOR HEADS TO REMAIN AND BE PROTECTED. CONTRACTOR TO COORDINATE TEMPORARY IRRIGATION FOR THESE ZONES DURING CONSTRUCTION.



NORTH

**IRRIGATION DEMOLITION PLAN**  
**BASEBALL FIELD**

**LIBERTY HIGH SCHOOL**  
**BASEBALL INFIELD & SOFTBALL OUTFIELD IMPROVEMENTS**


PROJECT ADDRESS  
**850 2ND ST**  
**BRENTWOOD, CA**  
**94513**

SUBMITTAL	DATE
BID SUBMITTAL	05/02/22

NO.	REVISIONS	DATE

DRAWN BY	CHECKED BY
NN/JJ	DM
DATE ISSUED	SCALE
04/01/2022	1"=20'-0"
PROJ. NO.	2111100
SHEET NO.	L-L3.4

ALL IDEAS, DESIGNS, ARRANGEMENTS, AND PLANS INDICATED OR REPRESENTED BY THIS DRAWING ARE OWNED BY AND THE PROPERTY OF VERDE DESIGN, INC. AND WERE CREATED, EVOLVED, AND DEVELOPED FOR USE ON AND IN CONNECTION WITH THE SPECIFIED PROJECT. NONE OF SUCH IDEAS, DESIGNS, ARRANGEMENTS OR PLANS SHALL BE USED, REPRODUCED, OR PUBLISHED IN WHOLE OR IN PART, OR DISCLOSED TO ANY PERSON, FIRM, OR CORPORATION FOR ANY PURPOSE, WHATSOEVER, WITHOUT WRITTEN PERMISSION OF VERDE DESIGN, INC.



### GRADING NOTES


- EXISTING GRADES ARE BASED ON INFORMATION PROVIDED BY: CONTRACTOR SHALL VERIFY EXISTING GRADES FOR ACCURACY PRIOR TO THE START OF GRADING, NOTIFY THE OWNER'S REPRESENTATIVE IMMEDIATELY SHOULD CONFLICTS ARISE AND REDIRECT WORK TO AVOID DELAY.
- THE CONTRACTOR SHALL VERIFY THE LOCATIONS OF ALL EXISTING UTILITIES, STRUCTURES AND SERVICES BEFORE COMMENCING WORK. THE LOCATIONS OF UTILITIES, STRUCTURES AND SERVICES SHOWN IN THE CONTRACT DOCUMENTS SHALL BE DEEMED TO BE APPROXIMATIONS ONLY. ALL DISCREPANCIES BETWEEN WHAT IS SHOWN AND THE ACTUAL FIELD CONDITIONS SHALL BE REPORTED TO THE OWNER'S REPRESENTATIVE. THE CONTRACTOR SHALL CONTACT UNDER GROUND SERVICE ALERT (USA) AT (800) 227-2600 PRIOR TO ANY DEMOLITION OR EXCAVATION. UPON COMPLETION OF USA MARKING OPERATIONS, CONTRACTOR SHALL RECORD ALL UTILITY MARKINGS ON A SEPARATE SET OF DRAWINGS. THIS SET SHALL BE KEPT ON-SITE FOR REFERENCE FOR DURATION OF CONTRACT.
- PROPOSED GRADES SHALL MEET EXISTING GRADES WITH A SMOOTH AND CONTINUOUS TRANSITION SO AS TO AVOID TRAPPING WATER. CONTRACTOR SHALL NOTIFY DISTRICT REPRESENTATIVE IF PUDDLING IS SUSPECTED AND REDIRECT WORK SO AS TO AVOID DELAY WHILE AWAITING RESPONSE.
- ALL EXISTING DRAINAGE STRUCTURES, BOXES, UTILITY VAULTS ETC. SHALL BE BROUGHT TO FINAL FINISH GRADE PRIOR TO FINAL SURFACE TREATMENT.

### GRADING LEGEND

SYM	DESCRIPTION
	PROPOSED CONTOUR
	PROPOSED SUBGRADE CONTOUR
FG 32.00	PROPOSED FINISH GRADE ELEVATION OF SOFTSCAPE
FT 32.00	PROPOSED ELEVATION OF TOP OF SYNTHETIC TURF INFILL
FS 32.00	PROPOSED FINISH SURFACE ELEVATION OF HARDSCAPE
HP 32.00	HIGH POINT/ HIGH POINT OF SWALE
RIM 31.00	LOW POINT/ RIM ELEVATION OF DRAIN
SG 32.00	PROPOSED FINISH SUBGRADE ELEVATION
TC 32.50	TOP OF CURB
TW 34.00	TOP OF WALL
FF 92.00	FINISHED FLOOR ELEVATION
TD 92.00	TOP OF TRENCH DRAIN
	CENTER LINE OF SWALE
	CROWN OF FIELD, OR RIDGE LINE
	LOW POINT OF FIELD OR SWALE AT SUBGRADE ELEVATION
	TOP OF SYNTHETIC TURF INFILL TO BE 0.02' BELOW ADJACENT CONCRETE
	LIMIT OF GRADING - CONFORM TO EXISTING GRADES AT THIS LINE
	FLOW DIRECTION IN SOFTSCAPE
	EXISTING CONTOUR
+ 102.1	EXISTING ELEVATION



2455 The Alameda  
 Santa Clara, CA 95050  
 Tel: 408.985.7200  
 Fax: 408.985.7260  
 www.VerdeDesign.com



STAMP  
 CONSULTANT

SHEET TITLE  
**GRADING PLAN  
 BASEBALL FIELD**


PROJECT NAME  
**LIBERTY HIGH SCHOOL  
 BASEBALL INFIELD &  
 SOFTBALL OUTFIELD  
 IMPROVEMENTS**

PROJECT ADDRESS  
**850 2ND ST  
 BRENTWOOD, CA  
 94513**

SUBMITTAL	DATE
BID SUBMITTAL	05/02/22


NO.	REVISIONS	DATE
△		
△		
△		
△		
△		

DRAWN BY: NN/JJ  
 CHECKED BY: DM  
 DATE ISSUED: 04/01/2022  
 SCALE: 1"=20'-0"  
 PROJ. NO.: 2111100  
 SHEET NO.: L-L4.1





ALL IDEAS, DESIGNS, ARRANGEMENTS, AND PLANS INDICATED OR REPRESENTED BY THIS DRAWING ARE OWNED BY AND THE PROPERTY OF VERDE DESIGN, INC. AND WERE CREATED, EVOLVED, AND DEVELOPED FOR USE ON AND IN CONNECTION WITH THE SPECIFIED PROJECT. NONE OF SUCH IDEAS, DESIGNS, ARRANGEMENTS OR PLANS SHALL BE USED, REPRODUCED, OR PUBLISHED IN WHOLE OR IN PART, OR DISCLOSED TO ANY PERSON, FIRM, OR CORPORATION FOR ANY PURPOSE WHATSOEVER WITHOUT WRITTEN PERMISSION OF VERDE DESIGN, INC.




### DRAINAGE & UTILITY NOTES

- THE CONTRACTOR SHALL VERIFY THE LOCATIONS OF ALL EXISTING UTILITIES, STRUCTURES, AND SERVICES BEFORE COMMENCING WORK. THE LOCATIONS OF UTILITIES, STRUCTURES, AND SERVICES SHOWN IN THE CONTRACT DOCUMENTS SHALL BE DEEMED TO BE APPROXIMATIONS ONLY. ALL DISCREPANCIES BETWEEN WHAT IS SHOWN AND THE ACTUAL FIELD CONDITIONS SHALL BE REPORTED TO THE DISTRICT REPRESENTATIVE. THE CONTRACTOR SHALL CONTACT UNDER GROUND SERVICE ALERT (USA) AT (800) 227-2600 PRIOR TO ANY DEMOLITION OR EXCAVATION. UPON COMPLETION OF USA MARKING OPERATIONS, CONTRACTOR SHALL RECORD ALL UTILITY MARKINGS ON A SEPARATE SET OF DRAWINGS. THIS SET SHALL BE KEPT ON-SITE FOR REFERENCE FOR DURATION OF CONTRACT.
- ALL EXISTING DRAINAGE STRUCTURES, BOXES, UTILITY VAULTS ETC. TO REMAIN, SHALL BE BROUGHT TO FINAL FINISH GRADE PRIOR TO FINAL SURFACE TREATMENT.
- THE CONTRACTOR IS TO PROTECT DRAINAGE SYSTEM FROM DEBRIS, INCLUDING SOIL, ROCK MATERIAL, AND TRASH FROM ENTERING THE PIPE DURING CONSTRUCTION. CONTRACTOR SHALL AVOID PLACING CONSTRUCTION VEHICLES OVER INSTALLED DRAINAGE TRENCHES TO PREVENT CRUSHING OF PIPE.
- COORDINATE ALL SLEEVING AND UTILITY LOCATIONS AS SHOWN ON THE PLANS AND DETAILS CONTAINED WITHIN THESE CONTRACT DOCUMENTS.
- THE CONTRACTOR IS TO ENSURE THAT ALL REMAINING ACTIVE AND NEW DRAINAGE AND UTILITY LINES ARE PROTECTED AND UNDAMAGED FROM TRENCHING AND FOOTING EXCAVATIONS FOR NEW FOOTINGS, PARTICULARLY FOR NEW FENCING AND WALLS.
- ALL ABANDONED STORM LINES SHALL REMAIN IN PLACE UNLESS IN CONFLICT WITH PROPOSED DRAINAGE, UTILITY, OR SUBGRADING OPERATIONS, IN WHICH CASE ABANDONED PIPE IN CONFLICT SHALL BE REMOVED. REMAINING ABANDONED STORM PIPE SHALL BE SEALED WITH APPROPRIATELY SIZED CONCRETE CAP (3 SACK MIX) 6" ENVELOPE OUTSIDE AND INSIDE DIAMETER OF PIPE.
- PRIOR TO ALL DRAINAGE AND UTILITY WORK, CONTRACTOR SHALL BE RESPONSIBLE FOR VERIFYING ALL POTENTIAL DRAINAGE CONNECTIONS AND EXISTING UTILITY BY POTHOLING. IN ADDITION, ALL DOWNSTREAM CONNECTIONS TO EXISTING STRUCTURES SHALL BE THE START OF THESE OPERATIONS, AND GRADES SHALL BE VERIFIED.
- WHEN WORK HAS TO OCCUR UNDER THE DRIPLINE OF EXISTING TREES NOT SCHEDULED FOR REMOVAL, THE CONTRACTOR SHALL USE ALL POSSIBLE CARE TO AVOID INJURY TO THE TREES AND TREE ROOTS. GRADE IN LINES RADIAL TO THE EXISTING TREES RATHER THAN TANGENTIAL. ALL PARTIAL CUTS OR TEARS THROUGH ROOTS TWO INCHES IN DIAMETER AND LARGER SHALL BE CUT CLEAN. TRENCHES ADJACENT TO TREES SHALL BE FILLED WITHIN 24 HOURS AFTER EXCAVATION, BUT WHERE THIS IS NOT POSSIBLE, THE SIDE OF THE TRENCH ADJACENT TO THE TREE, AND ANY EXPOSED ROOTS SHALL BE KEPT SHADED AND MOIST WITH DAMPENED BURLAP OR CANVAS.



**VERDE DESIGN**  
 LANDSCAPE ARCHITECTURE  
 CIVIL ENGINEERING  
 SPORT PLANNING & DESIGN  
 2455 The Alameda  
 Santa Clara, CA 95050  
 tel: 408.985.7200  
 fax: 408.985.7260  
 www.VerdeDesign.com



### DRAINAGE & UTILITY LEGEND

SYM	DESCRIPTION	DETAIL NUMBER	SHEET NUMBER
⊕	CATCH BASIN, SIZE PER PLAN	B	D1.1
⊙	JUNCTION BOX, SIZE PER PLAN	C	D1.1
⊚	CLEANOUT IN SYNTHETIC TURF	D	D1.1
⊞	CONVERT EXISTING CATCH BASIN TO JUNCTION BOX IN SYNTHETIC TURF	G	D1.1
—SD—	SOLID WALL STORM DRAIN	A	D1.1
—PERF—	PERFORATED SUBDRAIN LINE	H	D1.1
—FP—	FLAT PANEL	F	D1.1
(E)	EXISTING		
CB	CATCH BASIN		
INV	INVERT		
RIM	RIM ELEVATION		
TOR	TOP OF ROCK ELEVATION		
LF	LINEAR FEET		
COIT	CLEANOUT IN TURF		
COIF	CLEANOUT IN INFELD FINES		
COTG	CLEANOUT TO GRADE		
SSCO	SANITARY SEWER CLEANOUT		
S=0.5%	SLOPE		
MIN.	MINIMUM		
TD	TRENCH DRAIN ELEVATION		
N, S, W, EA,	NORTH, SOUTH, WEST, EAST		

CONSULTANT

SHEET TITLE

**DRAINAGE AND UTILITY PLAN  
BASEBALL FIELD**

PROJECT NAME

**LIBERTY HIGH SCHOOL  
BASEBALL INFIELD &  
SOFTBALL OUTFIELD  
IMPROVEMENTS**


PROJECT ADDRESS

**850 2ND ST  
BRENTWOOD, CA  
94513**

SUBMITTAL	DATE
BID SUBMITTAL	05/02/22

NO.	REVISIONS	DATE
△		
△		
△		
△		
△		


DRAWN BY: NN/JJ  
 CHECKED BY: DM  
 DATE ISSUED: 04/01/2022  
 SCALE: 1"=20'-0"  
 PROJ. NO.: 2111100  
 SHEET NO.: L-L5.1







ALL IDEAS, DESIGNS, ARRANGEMENTS, AND PLANS INDICATED OR REPRESENTED BY THIS DRAWING ARE OWNED BY AND THE PROPERTY OF VERDE DESIGN, INC. AND WERE CREATED, EVOLVED, AND DEVELOPED FOR USE ON AND IN CONNECTION WITH THE SPECIFIED PROJECT. NONE OF SUCH IDEAS, DESIGNS, ARRANGEMENTS OR PLANS SHALL BE USED, REPRODUCED, OR PUBLISHED IN WHOLE OR IN PART, OR DISCLOSED TO ANY PERSON, FIRM, OR CORPORATION FOR ANY PURPOSE WHATSOEVER WITHOUT WRITTEN PERMISSION OF VERDE DESIGN, INC.




### LAYOUT NOTES

1. THE CONTRACTOR SHALL COORDINATE ALL CONSTRUCTION ELEMENTS INCLUDING UTILITY LOCATIONS AND REQUIRED SLEEVING PRIOR TO INSTALLATION. VERIFY CRITICAL DIMENSIONS, REFERENCE POINT LOCATIONS AND CONSTRUCTION CONDITIONS PRIOR TO INITIATING CONSTRUCTION. TEMPORARY BENCHMARKS OR REFERENCE POINTS SHALL BE SET BY THE CONTRACTOR AS NECESSARY. NOTIFY THE OWNER'S REPRESENTATIVE IMMEDIATELY SHOULD DISCREPANCY ARISE AND REDIRECT WORK TO AVOID DELAYS.
2. ALL DIMENSIONS SHALL BE VERIFIED IN FIELD AND CHALKED, STRING LINED OR FLAGGED BY THE CONTRACTOR PRIOR TO CONSTRUCTION. ANY MINOR ADJUSTMENTS MADE TO ACHIEVE OVERALL DESIGN LAYOUT SHALL BE ACCEPTED BY THE OWNER PRIOR TO CONSTRUCTION.
3. LAYOUT IS BASED ON THE POINT(S) OF BEGINNING (P.O.B.) AND BASELINE(S) OR GRID SYSTEM AS SHOWN. DIMENSIONS SHOWN ARE ROUNDED TO THE NEAREST INCH.
4. ALL LAYOUT AND GRADES SHALL BE COMPLETED BY A LICENSED SURVEYOR.

### LAYOUT LEGEND

SYM	DESCRIPTION
	POINT OF BEGINNING SYMBOL
	CONTROL POINT
	RADIUS POINT / CENTER MARK
	PROPOSED ANGLE BETWEEN ELEMENTS
	ALIGN EDGES OF ELEMENTS
	BASELINE & GRID
	CONTROL LINE
	CENTER LINES
N 12+21.95 E 12+97.08	NORTHING/EASTING LAYOUT COORDINATE CALLOUT
(COD)	CENTER OF DRAIN - NEW JUNCTION BOX
(COP)	CENTER OF POST
(POB)	POINT OF BEGINNING FOR GRID LAYOUT
(RAD)	RADIUS POINT
(TAN)	TANGENT POINT

**VERDE DESIGN**  
 LANDSCAPE ARCHITECTURE  
 CIVIL ENGINEERING  
 SPORT PLANNING & DESIGN  
 2455 The Alameda  
 Santa Clara, CA 95050  
 tel: 408.985.7200  
 fax: 408.985.7260  
 www.VerdeDesigninc.com



STAMP  
 CONSULTANT

SHEET TITLE  
**LAYOUT PLAN  
 BASEBALL FIELD**


PROJECT NAME  
**LIBERTY HIGH SCHOOL  
 BASEBALL INFIELD &  
 SOFTBALL OUTFIELD  
 IMPROVEMENTS**

PROJECT ADDRESS  
**850 2ND ST  
 BRENTWOOD, CA  
 94513**

SUBMITTAL	DATE
BID SUBMITTAL	05/02/22

NO.	REVISIONS	DATE


DRAWN BY NN/JJ	CHECKED BY DM
DATE ISSUED 04/01/2022	SCALE 1"=20'-0"
PROJ. NO. 2111100	SHEET NO. L-L6.1







ALL IDEAS, DESIGNS, ARRANGEMENTS, AND PLANS INDICATED OR REPRESENTED BY THIS DRAWING ARE OWNED BY AND THE PROPERTY OF VERDE DESIGN, INC. AND WERE CREATED, EVOLVED, AND DEVELOPED FOR USE ON AND IN CONNECTION WITH THE SPECIFIED PROJECT. NONE OF SUCH IDEAS, DESIGNS, ARRANGEMENTS OR PLANS SHALL BE USED, REPRODUCED, OR PUBLISHED BY ANY METHOD, IN WHOLE OR IN PART, OR DISCLOSED TO ANY PERSON, FIRM, OR CORPORATION FOR ANY PURPOSE, WHATSOEVER, WITHOUT WRITTEN PERMISSION OF VERDE DESIGN, INC.




### MATERIAL NOTES

1. THE CONTRACTOR SHALL COORDINATE ALL CONSTRUCTION ELEMENTS INCLUDING UTILITY LOCATIONS AND REQUIRED SLEEVING PRIOR TO INSTALLATION. VERIFY CRITICAL DIMENSIONS, REFERENCE POINT LOCATIONS AND CONSTRUCTION CONDITIONS PRIOR TO INITIATING CONSTRUCTION. TEMPORARY BENCHMARKS OR REFERENCE POINTS SHALL BE SET BY THE CONTRACTOR AS NECESSARY. NOTIFY THE OWNER'S REPRESENTATIVE IMMEDIATELY SHOULD DISCREPANCY ARISE AND REDIRECT WORK TO AVOID DELAYS.
2. THE INTERFACE OF ALL PROPOSED IMPROVEMENTS TO EXISTING SITE SHALL CONFORM AND BE SMOOTH AND UNIFORM.
3. ALL REINFORCING AND FORMS SHALL BE SECURED IN PLACE AND ACCEPTED BY OWNER'S REPRESENTATIVE PRIOR TO PLACING ANY CONCRETE.
4. ASPHALT SHALL NOT BE INSTALLED UNTIL ALL EDGES AND SITE FURNISHING PADS ARE INSTALLED.


### MATERIAL LEGEND

SYM	DESCRIPTION	DTL REF
	NATURAL TURF - SOD REFER TO SPECIFICATIONS	
	CLAY	F D2.1
	2" GREEN SYNTHETIC TURF - REFER TO SPECIFICATIONS	E D2.1
	2" BROWN WARNING TRACK SYNTHETIC TURF - REFER TO SPECIFICATIONS	E D2.1
	1.75" GREEN SYNTHETIC TURF - REFER TO SPECIFICATIONS	E D2.1
	1.75" BROWN SYNTHETIC TURF - REFER TO SPECIFICATIONS	E D2.1
	1.75" BROWN WARNING TRACK SYNTHETIC TURF - REFER TO SPECIFICATIONS	E D2.1
A	ASPHALT PAVING - REFER TO SPECIFICATIONS	I D2.1
C	CONCRETE PAVING - REFER TO SPECIFICATIONS	J D2.1
1	CONCRETE SUB-CURB - SYNTHETIC TURF CONNECTION	C D2.1
2	6" WIDE SYNTHETIC TURF EDGE BAND AT INFIELD FINES	D D2.1
3	BASEBALL PITCHER'S MOUND	B D3.1
4	HOME PLATE AREA - REFER TO SPECIFICATIONS	A,C,B D3.1
5	BASES - REFER TO SPECIFICATIONS BASE PAD LOCATION WITH SINGLE ANCHOR BASE SLEEVE	D,F D3.1
6	FOUL LINE STRIPING	
7	RUNNER'S LANE STRIPING	A D3.1
8	COACHES' BOX STRIPING	A D3.1
9	ON DECK CIRCLE STRIPING	A D3.1
10	BASEBALL INFIELD LOGO	D D3.2
11	SOFTBALL OUTFIELD LOGO	D D3.2
12	OUTFIELD DISTANCE MARKER	G D3.1
13	6" WIDE SYNTHETIC TURF EDGE BAND AT NATURAL TURF	H D3.1



**VERDE DESIGN**  
 LANDSCAPE ARCHITECTURE  
 CIVIL ENGINEERING  
 SPORT PLANNING & DESIGN

2455 The Alameda  
 Santa Clara, CA 95050  
 tel: 408.985.7200  
 fax: 408.985.7260  
 www.VerdeDesigninc.com



STAMP

CONSULTANT

SHEET TITLE

**MATERIALS AND  
 DETAIL REFERENCE  
 PLAN  
 SOFTBALL FIELD**

PROJECT NAME

**LIBERTY HIGH SCHOOL  
 BASEBALL INFIELD &  
 SOFTBALL OUTFIELD  
 IMPROVEMENTS**

PROJECT ADDRESS

**850 2ND ST  
 BRENTWOOD, CA  
 94513**

SUBMITTAL

BID SUBMITTAL 05/02/22

NO. REVISIONS DATE


DRAWN BY

NN/JJ

CHECKED BY

DM

DATE ISSUED

04/01/2022

SCALE

1"=20'-0"


PROJ. NO.

2111100

SHEET NO.

**L-L7.2**

ALL IDEAS, DESIGNS, ARRANGEMENTS, AND PLANS INDICATED OR REPRESENTED BY THIS DRAWING ARE OWNED BY AND THE PROPERTY OF VERDE DESIGN, INC. AND WERE CREATED, EVOLVED, AND DEVELOPED FOR USE ON AND IN CONNECTION WITH THE SPECIFIED PROJECT. NONE OF SUCH IDEAS, DESIGNS, ARRANGEMENTS OR PLANS SHALL BE USED, REPRODUCED, OR PUBLISHED IN WHOLE OR IN PART, OR DISCLOSED TO ANY PERSON, FIRM, OR CORPORATION FOR ANY PURPOSE, WHATSOEVER, WITHOUT WRITTEN PERMISSION OF VERDE DESIGN, INC.




### IRRIGATION NOTES

1. THIS SYSTEM IS DESIGNED TO OPERATE AT A MAXIMUM FLOW OF (300) GPM WITH A MINIMUM (80) STATIC P.S.I. AT THE POINT OF CONNECTION. CONTRACTOR SHALL VERIFY PRESSURE PRIOR TO BEGINNING WORK. CONTACT OWNER IMMEDIATELY SHOULD DISCREPANCY ARISE AND RE-DIRECT WORK TO AVOID DELAY.
2. IRRIGATION SYSTEM DESIGN IS DIAGRAMMATIC. WHERE PIPING, VALVES, QUICK COUPLERS, ETC. ARE SHOWN OUTSIDE PLANTING AREAS, OR LIMIT OF WORK; INTENT IS FOR PIPING, VALVES, ETC., TO BE INSTALLED WITHIN PLANTING AREAS OF PROPERTY. INDICATE EXACT LOCATIONS OF IRRIGATION EQUIPMENT ON RECORD DRAWINGS. REFER TO SPECIFICATIONS.
3. CONTRACTOR SHALL PROGRAM CONTROLLER TO ENSURE PROPER IRRIGATION. BASED ON PLANT TYPE, EXPOSURE AND SEASON.
4. CONTRACTOR SHALL USE EXTREME CARE WHERE IT IS NECESSARY TO TRENCH NEAR EXISTING TREES. EXCAVATION IN AREAS EXHIBITING ROOT 3" AND LARGER SHALL BE DONE BY HAND. ROOTS 2" OR LARGER IN DIAMETER DAMAGED IN CONSTRUCTION SHALL BE CLEANLY CUT.
5. CONTRACTOR SHALL MAKE MINOR ADJUSTMENTS TO HEAD LOCATIONS IN FIELD AS NECESSARY.
6. CONTRACTOR SHALL REFER TO DETAILS AND SPECIFICATIONS FOR ADDITIONAL INFORMATION.
7. ALL IRRIGATION COMPONENTS SHALL HAVE RECYCLED WATER IDENTIFIERS EXCEPT IRRIGATION BOXES. REFER TO SPECIFICATIONS.
8. ALL OUTFIELD IRRIGATION IS TO BE KEPT OPERATIONAL.

### IRRIGATION LEGEND

SYM.	MANUFAC.	MODEL NO./ DESCRIPTION	DTL REF
◆	TORO	100-2SL-VLC QUICK COUPLER VALVE IN SYNTHETIC TURF	(B) D4.1
⊕	RAINBIRD	5004-PC POP-UP ROTOR	(F) D4.1
---	MAIN LINE	2" AND SMALLER: SCHEDULE 40 PVC PIPE WITH SOLVENT-WELD FITTINGS. 2-1/2" AND 4": CLASS 200 PVC PIPE WITH RING-TITE CONNECTIONS	(A) D4.1
---	LATERAL LINE	1" LATERAL LINE - SCHEDULE 40 PVC PIPE, WITH SOLVENT-WELD FITTINGS, WITH 18" COVER,	(A) D4.1
---	LATERAL LINE	1-1/4" LATERAL LINE - SCHEDULE 40 PVC PIPE, WITH SOLVENT-WELD FITTINGS, WITH 18" COVER,	(A) D4.1
---	LATERAL LINE	1-1/2" LATERAL LINE - SCHEDULE 40 PVC PIPE, WITH SOLVENT-WELD FITTINGS, WITH 18" COVER,	(A) D4.1
---	LATERAL LINE	2" LATERAL LINE - SCHEDULE 40 PVC PIPE, WITH SOLVENT-WELD FITTINGS, WITH 18" COVER,	(A) D4.1
---	LATERAL LINE	2-1/2" LATERAL LINE - SCHEDULE 40 PVC PIPE, WITH SOLVENT-WELD FITTINGS, WITH 18" COVER,	(A) D4.1
---	EXISTING LATERAL LINE TO REMAIN TO REMAIN AND BE PROTECTED		
---	EXISTING IRRIGATION MAIN LINE PER AS-BUILT DRAWINGS. SHOWN FOR REFERENCE. CONTRACTOR TO VERIFY LOCATION IN FIELD.		
⊕	EXISTING IRRIGATION CONTROL VALVE		(C) D4.1
◆	EXISTING QUICK COUPLER VALVE		(D,E) D4.1
P.O.C. - IRR. MAIN	POINT OF CONNECTION - IRRIGATION MAIN LINE - TIE PROPOSED MAIN LINE TO EXISTING MAIN LINE. CONTRACTOR SHALL VERIFY LOCATION OF EXISTING MAIN LINE AND WATER PRESSURE. PROVIDE STATIC WATER PRESSURE RATING TO OWNER'S REPRESENTATIVE.		

**VERDE DESIGN**  
 LANDSCAPE ARCHITECTURE  
 CIVIL ENGINEERING  
 SPORT PLANNING & DESIGN  
 2455 The Alameda  
 Santa Clara, CA 95050  
 tel: 408.985.7200  
 fax: 408.985.7260  
 www.VerdeDesigninc.com



STAMP

CONSULTANT

SHEET TITLE

IRRIGATION PLAN  
BASEBALL FIELD

PROJECT NAME

LIBERTY HIGH SCHOOL  
BASEBALL INFIELD &  
SOFTBALL OUTFIELD  
IMPROVEMENTS

PROJECT ADDRESS

850 2ND ST  
BRENTWOOD, CA  
94513

SUBMITTAL

DATE

BID SUBMITTAL

05/02/22

NO.

REVISIONS

DATE

DRAWN BY

CHECKED BY

NN/JJ

DM

DATE ISSUED

SCALE

04/01/2022


1"=20'-0"

PROJ. NO.

2111100

SHEET NO.


L-L8.1





ALL IDEAS, DESIGNS, ARRANGEMENTS, AND PLANS INDICATED OR REPRESENTED BY THIS DRAWING ARE OWNED BY AND THE PROPERTY OF VERDE DESIGN, INC. AND WERE CREATED, EVOLVED, AND DEVELOPED FOR USE ON AND IN CONNECTION WITH THE SPECIFIED PROJECT. NONE OF SUCH IDEAS, DESIGNS, ARRANGEMENTS OR PLANS SHALL BE USED, REPRODUCED, OR PUBLISHED BY ANY METHOD, IN WHOLE OR IN PART, OR DISCLOSED TO ANY PERSON, FIRM, OR CORPORATION FOR ANY PURPOSE, WHATSOEVER, WITHOUT WRITTEN PERMISSION OF VERDE DESIGN, INC.



DEMOLITION LEGEND	
①	EXISTING CURB AND FENCE TO REMAIN AND BE PROTECTED. TEMPORARY REMOVE FENCING FOR INSTALLATION OF NEW CURB. REINSTALL FENCING UPON COMPLETION OF PROJECT, ADJUST FENCE FABRIC AND BOTTOM RAIL TO NEW ELEVATION HEIGHT.



GRADING LEGEND		MATERIAL LEGEND		
SYM	DESCRIPTION	SYM	DESCRIPTION	DTL REF
FT 32.00	PROPOSED ELEVATION OF TOP OF SYNTHETIC TURF INFILL	Ⓐ	8" WIDE TALL CURB	Ⓑ <sub>D3.2</sub>
SG 32.00	PROPOSED FINISH SUBGRADE ELEVATION			



STAMP

CONSULTANT

SHEET TITLE

**BID ALTERNATE  
PLAN  
SOFTBALL FIELD**

PROJECT NAME

**LIBERTY HIGH SCHOOL  
BASEBALL INFIELD &  
SOFTBALL OUTFIELD  
IMPROVEMENTS**

PROJECT ADDRESS












**850 2ND ST  
BRENTWOOD, CA  
94513**

SUBMITTAL	DATE
BID SUBMITTAL	05/02/22


NO.	REVISIONS	DATE
△		
△		
△		
△		
△		
△		

DRAWN BY NN/JJ	CHECKED BY DM
DATE ISSUED 04/01/2022	SCALE 1"=20'-0"
PROJ. NO. 2111100	
SHEET NO. <b>L-L9.1</b>	

ALL IDEAS, DESIGNS, ARRANGEMENTS, AND PLANS INDICATED OR REPRESENTED BY THIS DRAWING ARE OWNED BY AND THE PROPERTY OF VERDE DESIGN, INC. AND WERE CREATED, DEVELOPED, FOR USE ON AND IN CONNECTION WITH THE SPECIFIC PROJECT. NONE OF SUCH IDEAS, DESIGNS, ARRANGEMENTS, AND PLANS SHALL BE USED, REPRODUCED, OR PUBLISHED BY ANY METHOD, IN WHOLE OR IN PART, OR COPIED FOR ANY PURPOSE, WITHOUT WRITTEN PERMISSION OF VERDE DESIGN, INC.



**VERDE DESIGN**  
 LANDSCAPE ARCHITECTURE  
 CIVIL ENGINEERING  
 SPORT PLANNING & DESIGN  
 2455 The Alameda  
 Santa Clara, CA 95050  
 Tel: 408.985.7200  
 Fax: 408.985.7260  
 www.VerdeDesigninc.com



STAMP  
 CONSULTANT  
 SHEET TITLE  
**DRAINAGE AND UTILITY DETAILS**

PROJECT NAME  
**LIBERTY UNION HIGH SCHOOL DISTRICT BASEBALL INFIELD & SOFTBALL OUTFIELD IMPROVEMENTS**

PROJECT ADDRESS  
**BRENTWOOD & OAKLEY, CA**

NO.	REVISIONS	DATE

SUBMITTAL	DATE
BID SUBMITTAL	05/02/22


NO.	REVISIONS	DATE

DRAWN BY	CHECKED BY
VERDE	DM
DATE ISSUED	SCALE
01/17/2022	AS NOTED
PROJ. NO.	SHEET NO.
2111100	D1.1







**M** CONCRETE PAVING FINISH NTS



**J** CONCRETE PAVING NTS




**I** ASPHALT PAVING NTS




**L** CONCRETE JOINTS NTS


DRAWING NAME: Y:\projects-sa\2021\211100 - liberty hs bb imp\CAD\DL2-CONC.dwg  
PLOT DATE: 05-02-22 PLOTTED BY: station81




**K** CONCRETE PAVING FINISH NTS




**J** CONCRETE PAVING NTS




**I** ASPHALT PAVING NTS




**E** SYNTHETIC TURF WITH SHOCK PAD NTS




**H** NATURAL TURF TO SYNTHETIC TURF EDGE NTS




**G** INFILDS FINES OVER CLAY NTS




**F** INFILDS FINES NTS



**A** EDGEBOARD AND TALL CURB NOTES NTS



**D** 6" WIDE SYNTHETIC TURF EDGE AT INFILDS FINES NTS



**C** CONCRETE SUB CURB - SYNTHETIC TURF CONNECTION NTS

- NOTES PERTAIN TO ALL DETAILS WITH SYNTHETIC TURF:
- IDENTIFIED FINISH GRADES OF SYNTHETIC TURF SHALL BE THE TOP OF INFILL MATERIAL. INFILL MATERIAL SHALL BE 1/2" BELOW ADJACENT SURFACES UNLESS EDGE IS A VERTICAL CURB.
  - BASEBALL FIELD STRIPING SHALL BE INLAID OR TUFTED 2.5" WIDE WHITE LINES, UNLESS NOTED OTHERWISE.
  - SOFTBALL INFILDS STRIPING SHALL BE INLAID OR TUFTED 2.5" WIDE WHITE LINES, UNLESS NOTED OTHERWISE.
  - CONTRACTOR TO PROVIDE SHOP DRAWINGS FOR REVIEW AND ACCEPTANCE. ALL FIELD MARKINGS SHALL CONFORM TO CURRENT RULES (NATIONAL FEDERATION OF STATE HIGH SCHOOL ASSOCIATIONS) AND C.I.F. (CALIFORNIA INTERSCHOLASTIC FEDERATION) GUIDELINES.
  - NO MANUFACTURER, CONTRACTOR OR VENDOR LOGOS ARE TO BE INSTALLED UNLESS SPECIFIED.
  - NO CUT OUTS IN TURF SHALL BE MADE UNLESS OTHERWISE NOTED AND ESPECIALLY NO CUT OUTS IN THE FIELD OF PLAY.
  - QUICK COUPLERS ARE THE ONLY UTILITIES TO BE CUT THROUGH TURF. QUICK COUPLERS ARE LOCATED ON THE PERIMETER AND OUT OF THE FIELD OF PLAY AREAS. QUICK COUPLER TO BE MARKED WITH 3" GREY DOT
  - CLEAN OUTS TO BE MARKED WITH 3" BROWN DOT.
  - JUNCTION BOXES TO BE MARKED WITH 3" BLACK DOT.


**B** SYNTHETIC TURF NOTES NTS

- NOTES PERTAIN TO ALL EDGEBOARD AND CURB DETAILS:
- FOR EDGEBOARDS AND CURBS WITH FENCING, INSTALL EXPANSION JOINTS AT ALL CORNERS, BEGINNINGS, AND ENDINGS OF RADII, AND AT ALL FENCE POSTS. INSTALL SCORE JOINTS AT 5' O.C. AND OR EVENLY SPACED AND CENTERED BETWEEN POSTS.
  - FOR EDGEBOARD AND CURBS WITHOUT FENCING, INSTALL SCORE JOINTS AT 10' O.C. SPACING AND FIBER EXPANSION JOINTS EVERY 20' ON STRAIGHT RUNS. ON CURVED RUNS, FIBER EXPANSION JOINTS SHALL BE SPACED 10' O.C., WITH ALTERNATING SCORE JOINTS AT 5' O.C. SPACING.
  - ALL EXPANSION JOINTS SHALL BE SEALED, PER SPECIFICATIONS.
- NOTES PERTAIN TO ALL TALL CURB DETAILS:
- PROVIDE EXPANSION JOINTS AT 16' O.C. SPACING OR CENTERED BETWEEN FENCE POSTS AT TALL CURBS AND EDGEBOARDS, REFER TO SEAT WALL DETAIL FOR EXPANSION JOINT AND CONTROL JOINT SPACINGS AT SEAT WALL EXPANSION JOINT MATERIAL.
  - PROVIDE EXPANSION JOINTS AT EACH LOCATION WHERE AN ELEVATION STEP OCCURS BETWEEN CHANGING CURB/EDGEBOARD TYPES.
- AT EXPANSION JOINTS, PROVIDE A 24" LONG #4 DOWEL AT EACH CURB HORIZONTAL REBAR, CENTERED ON THE JOINT.
- EXPANSION JOINTS SHALL BE INSTALLED WITH A 1/2" CHAMFER BUILT INTO THE FORM WORK, IN ADDITION TO THE FIBER EXPANSION JOINT MATERIAL.
  - PROVIDE A CONTROL JOINT AT EACH FENCE POST. THE VERTICAL JOINT SHALL BE A 1/4" CHAMFER BUILT INTO THE FORM WORK. THE HORIZONTAL JOINT, ALONG THE TOP OF CURB, SHALL BE A TOOLED SCORE JOINT, ALIGNED WITH AND MATCHING THE VERTICAL CHAMFER JOINT.
  - ALL EXPANSION JOINTS SHALL BE SEALED PER SPECIFICATION.
  - NO SCORE JOINTS ARE REQUIRED ON TALL CURBS, EXCEPT AS INDICATED AT EACH FENCE POST IN ITEM #5 ABOVE.
- FINISHES  
EDGEBOARDS AND CURBS: MEDIUM BROOM  
TALL CURBS: MEDIUM SAND BLAST - TOP AND SIDES

**A** EDGEBOARD AND TALL CURB NOTES NTS

**VERDE DESIGN**  
LANDSCAPE ARCHITECTURE  
CIVIL ENGINEERING  
SPORT PLANNING & DESIGN

2455 The Alameda  
Santa Clara, CA 95050  
tel: 408.985.7200  
fax: 408.985.7260  
www.VerdeDesign.com



STAMP  
CONSULTANT

SHEET TITLE  
**CONSTRUCTION DETAILS**

PROJECT NAME  
**LIBERTY UNION HIGH SCHOOL DISTRICT BASEBALL INFILDS & SOFTBALL OUTFILDS IMPROVEMENTS**

PROJECT ADDRESS  
**BRENTWOOD & OAKLEY, CA**

SUBMITTAL	DATE
BID SUBMITTAL	05/02/22

NO.	REVISIONS	DATE
2	FIELD DIRECTIVE #2 SYNTHETIC TURF REVISIONS	05/25/21



DRAWN BY <b>VERDE</b>	CHECKED BY <b>DM</b>
DATE ISSUED <b>01/17/2022</b>	SCALE <b>AS NOTED</b>
PROJ. NO. <b>2111100</b>	

SHEET NO.  
**D2.1**




CONSTRUCTION DETAILS



ALL IDEAS, DESIGNS, ARRANGEMENTS, AND PLANS INDICATED OR REPRESENTED BY THIS DRAWING ARE OWNED BY AND THE PROPERTY OF VERDE DESIGN, INC. AND WERE CREATED, EVOLVED, AND DEVELOPED FOR USE ON AND IN CONNECTION WITH THE SPECIFIED PROJECT. NONE OF SUCH IDEAS, DESIGNS, ARRANGEMENTS OR PLANS SHALL BE USED, REPRODUCED, OR PUBLISHED BY ANY METHOD, IN WHOLE OR IN PART, OR DISCLOSED TO ANY PERSON, FIRM, OR CORPORATION FOR ANY PURPOSE, WHATSOEVER, WITHOUT WRITTEN PERMISSION OF VERDE DESIGN, INC.




**B** 8" WIDE TALL CURB NTS



NOTES:  
1. CONTRACTOR TO PROVIDE SHOP DRAWINGS FOR REVIEW AND ACCEPTANCE.

**A** LIBERTY HS LOGOS NTS



STAMP  
CONSULTANT

SHEET TITLE  
**ATHLETIC DETAILS**

PROJECT NAME  
**LIBERTY HIGH SCHOOL  
BASEBALL INFIELD &  
SOFTBALL OUTFIELD  
IMPROVEMENTS**

PROJECT ADDRESS  
**850 2ND ST  
BRENTWOOD, CA  
94513**

SUBMITTAL	DATE
BID SUBMITTAL	05/02/22

NO.	REVISIONS	DATE
△		
△		
△		
△		
△		
△		

DRAWN BY: NN/JJ  
CHECKED BY: DM  
DATE ISSUED: 04/01/2022  
SCALE: AS NOTED  
PROJ. NO.: 2111100

SHEET NO.: **D3.2**

