

Math Test – Calculator

55 MINUTES, 38 QUESTIONS

Turn to Section 4 of your answer sheet to answer the questions in this section.

DIRECTIONS

For questions 1-30, solve each problem, choose the best answer from the choices provided, and fill in the corresponding circle on your answer sheet. **For questions 31-38**, solve the problem and enter your answer in the grid on the answer sheet. Please refer to the directions before question 31 on how to enter your answers in the grid. You may use any available space in your test booklet for scratch work.

NOTES

- 1. The use of a calculator **is permitted**.
- 2. All variables and expressions used represent real numbers unless otherwise indicated.
- 3. Figures provided in this test are drawn to scale unless otherwise indicated.
- 4. All figures lie in a plane unless otherwise indicated.
- 5. Unless otherwise indicated, the domain of a given function f is the set of all real numbers x for which f(x) is a real number.

REFERENCE



The number of degrees of arc in a circle is 360. The number of radians of arc in a circle is 2π .

The sum of the measures in degrees of the angles of a triangle is 180.





1

John runs at different speeds as part of his training program. The graph shows his target heart rate at different times during his workout. On which interval is the target heart rate strictly increasing then strictly decreasing?



- A) Between 0 and 30 minutes
- B) Between 40 and 60 minutes
- C) Between 50 and 65 minutes
- D) Between 70 and 90 minutes

2

If y = kx, where k is a constant, and y = 24 when x = 6, what is the value of y when x = 5 ?

- A) 6
- B) 15
- C) 20
- D) 23



In the figure above, lines ℓ and m are parallel and lines s and t are parallel. If the measure of $\angle 1$ is 35°, what is the measure of $\angle 2$?

- A) 35°
- B) 55°
- C) 70°
- D) 145°

4

If 16 + 4x is 10 more than 14, what is the value of 8x ?

- A) 2
- B) 6
- C) 16
- D) 80

CONTINUE



Which of the following graphs best shows a strong negative association between d and t?









6

1 decagram = 10 grams 1,000 milligrams = 1 gram

A hospital stores one type of medicine in 2-decagram containers. Based on the information given in the box above, how many 1-milligram doses are there in one 2-decagram container?

- A) 0.002
- B) 200
- C) 2,000
- D) 20,000

CONTINUE





The number of rooftops with solar panel installations in 5 cities is shown in the graph above. If the total number of installations is 27,500, what is an appropriate label for the vertical axis of the graph?

- A) Number of installations (in tens)
- B) Number of installations (in hundreds)
- C) Number of installations (in thousands)
- D) Number of installations (in tens of thousands)

8

For what value of *n* is |n-1| + 1 equal to 0?

- A) 0
- B) 1
- C) 2
- D) There is no such value of n.



point

DIRECTIONS

For questions 31–38, solve the problem and enter your answer in the grid, as described below, on the answer sheet.

- 1. Although not required, it is suggested that you write your answer in the boxes at the top of the columns to help you fill in the circles accurately. You will receive credit only if the circles are filled in correctly.
- 2. Mark no more than one circle in any column.
- 3. No question has a negative answer.
- 4. Some problems may have more than one correct answer. In such cases, grid only one answer.
- 5. Mixed numbers such as $3\frac{1}{2}$ must be gridded

as 3.5 or 7/2. (If 3 1 / 2 is entered into the

grid, it will be interpreted as $\frac{31}{2}$, not $3\frac{1}{2}$.)

6. Decimal answers: If you obtain a decimal answer with more digits than the grid can accommodate, it may be either rounded or truncated, but it must fill the entire grid.

Answer: $\frac{7}{12}$ Answer: 2.5 Write _____ 2 1 2 5 7 in boxes. ← Fraction line \bigcirc Ţ \bigcirc $\left(\cdot \right)$ \bigcirc ← Decimal (.)(.)(0) $(\mathbf{0})$ $(\mathbf{0})$ $(\mathbf{0})$ (0)1 (1)(1)(1)(1)(1)(1)(2) (2) (2)(2)(2)(2)3 Grid in 3 3 3 3 33 3 result. (4) (4) (4) (4) $(\mathbf{4})$ $(\mathbf{4})$ (4) (4)(5) (5) (5) (5) (5) (5) (5) 6 6 (6) 6666 (6) (7) $\overline{7}$ $\overline{(7)}$ $\overline{(7)}$ $\overline{7}$ (7)(7)(8) (8) (8) (8) (8) 88 (8) (9) (9) (9) (9) (9) 9 (9)(9) Acceptable ways to grid $\frac{2}{3}$ are:

66

 $(\mathbf{0})$

(1)

2 2

3 3

(4) 4

(5) (5)

 $\overline{\mathcal{O}}$ (7)

(1)









NOTE: You may start your answers in any column, space permitting. Columns you don't need to use should be left blank.



31

Wyatt can husk at least 12 dozen ears of corn per hour and at most 18 dozen ears of corn per hour. Based on this information, what is a possible amount of time, in hours, that it could take Wyatt to husk 72 dozen ears of corn?

32

The posted weight limit for a covered wooden bridge in Pennsylvania is 6000 pounds. A delivery truck that is carrying x identical boxes each weighing 14 pounds will pass over the bridge. If the combined weight of the empty delivery truck and its driver is 4500 pounds, what is the maximum possible value for x that will keep the combined weight of the truck, driver, and boxes below the bridge's posted weight limit?

33



According to the line graph above, the number of portable media players sold in 2008 is what fraction of the number sold in 2011 ?

34

A local television station sells time slots for programs in 30-minute intervals. If the station operates 24 hours per day, every day of the week, what is the total number of 30-minute time slots the station can sell for Tuesday and Wednesday?